

## Safety Data Sheet dated 15/9/2022, version 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification:
Mixture identification: Trade name: CLEAR COAT Trade code: N374
1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use:
Coating material 1.3. Details of the supplier of the safety data sheet Company:
SAN MARCO GROUP S.P.A. Via Alta 10
30020 MARCON (VE) - Italy - Forlì back office
T. +39 0543 401840
Competent person responsible for the safety data sheet: sicurezza.prodotti@sanmarcogroup.it 1.4. Emergency telephone number
Technical information: San Marco Group spa / Forlì back office +39 0543 401840 (Monday – Friday 8.00-12.00 ; 13.30-17.30)
SECTION 2: Hazards identification 2.1. Classification of the substance or mixture
EC regulation criteria 1272/2008 (CLP) The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP).
Adverse physicochemical, human health and environmental effects: No other hazards 2.2. Label elements
The product is not classified as dangerous according to Regulation EC 1272/2008 (CLP). Hazard pictograms: None
Hazard statements: None
Precautionary statements: None
Special Provisions: EUH210 Safety data sheet available on request.
EUH208 Contains 1,2-benzisothiazol-3(2H)-one. May produce an allergic reaction. EUH208 Contains reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.
Special provisions according to Annex XVII of REACH and subsequent amendments: None
2.3. Other hazards No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1%
Other Hazards: No other hazards
SECTION 2: Composition/information on ingradiante

**SECTION 3: Composition/information on ingredients** 3.1. Substances

N374/6

Page n. 1 of 9



## N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	ldent. Number		Classification
	1,2-benzisothiazol- 3(2H)-one	number: CAS:	613-088-00-6 2634-33-5 220-120-9	<ul> <li>3.1/2/Inhal Acute Tox. 2 H330</li> <li>3.2/2 Skin Irrit. 2 H315</li> <li>3.3/1 Eye Dam. 1 H318</li> <li>3.4.2/1 Skin Sens. 1 H317</li> <li>3.1/4/Oral Acute Tox. 4 H302</li> <li>4.1/A1 Aquatic Acute 1 H400 M=1.</li> <li>4.1/C2 Aquatic Chronic 2 H411 M=1.</li> <li>Specific Concentration Limits: C &gt;= 0,05%: Skin Sens. 1 H317</li> </ul>
>= 0. 00015% - < 0. 0015%	reaction mass of 5- chloro-2-methyl-4- isothiazolin-3-one [EC no. 247-500-7] and 2- methyl-2H-isothiazol-3- one [EC no. 220-239-6] (3:1)	number:	613-167-00-5 55965-84-9	<ul> <li>♦ 3.1/2/Inhal Acute Tox. 2 H330</li> <li>♦ 3.1/2/Dermal Acute Tox. 2 H310</li> <li>♦ 3.1/2/Dermal Acute Tox. 3 H301</li> <li>♦ 3.1/3/Oral Acute Tox. 3 H301</li> <li>♦ 3.2/1C Skin Corr. 1C H314</li> <li>♦ 3.3/1 Eye Dam. 1 H318</li> <li>♦ 3.4.2/1A Skin Sens. 1A H317</li> <li>♦ 4.1/A1 Aquatic Acute 1 H400 M=100.</li> <li>♦ 4.1/C1 Aquatic Chronic 1 H410 M=100.</li> <li>EUH071</li> <li>Specific Concentration Limits: C &gt;= 0,6%: Skin Corr. 1C H314</li> <li>0,06% &lt;= C &lt; 0.6%: Skin Irrit. 2 H315</li> <li>C &gt;= 0,6%: Eye Dam. 1 H318</li> <li>0,06% &lt;= C &lt; 0.6%: Eye Irrit. 2 H319</li> <li>C &gt;= 0,0015%: Skin Sens. 1A H317</li> </ul>

### **SECTION 4: First aid measures**

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed Treatment: None



## **SECTION 5: Firefighting measures**

- 5.1. Extinguishing media
  - Suitable extinguishing media: Water. Carbon dioxide (CO2). Extinguishing media which must not be used for safety reasons:
- None in particular. 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases.
  - Burning produces heavy smoke.
- 5.3. Advice for firefighters Use suitable breathing apparatus.

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

#### **SECTION 6: Accidental release measures**

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove persons to safety. See protective measures under point 7 and 8.
- 6.2. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
  - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water.
- 6.4. Reference to other sections See also section 8 and 13

## **SECTION 7: Handling and storage**

7.1. Precautions for safe handling

- Avoid contact with skin and eyes, inhalation of vapours and mists. See also section 8 for recommended protective equipment. Advice on general occupational hygiene: Do not eat or drink while working.
- 7.2. Conditions for safe storage, including any incompatibilities Keep away from food, drink and feed.
  Incompatible materials: None in particular.
  Instructions as regards storage premises: Adequately ventilated premises.
- 7.3. Specific end use(s)
  - None in particular

## **SECTION 8: Exposure controls/personal protection**

8.1. Control parameters No occupational exposure limit available
DNEL Exposure Limit Values N.A.
PNEC Exposure Limit Values N.A.
8.2. Exposure controls
Eye protection:

N374/6 Page n. 3 of 9



Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

## **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	Colourless		
Odour:	characteristic		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	N.A.		
Flammability:	N.A.		
Lower and upper explosion limit:	N.A.		
Flash point:	N.A.		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	9		
Kinematic viscosity:	N.A.		
Solubility in water:			
Solubility in oil:	N.A.		
Partition coefficient n- octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative density:	1.05 kg/l		

N374/6 Page n. 4 of 9



Relative vapour density:	N.A.			
Particle characteristics:				
Particle size:	N.A.			

9.2. Other information No other relevant information

## **SECTION 10: Stability and reactivity**

- 10.1. Reactivity
  - Stable under normal conditions
- 10.2. Chemical stability
- Stable under normal conditions 10.3. Possibility of hazardous reactions
- None
- 10.4. Conditions to avoid Stable under normal conditions.
- 10.5. Incompatible materials None in particular.
- 10.6. Hazardous decomposition products None.

## **SECTION 11: Toxicological information**

- 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product:
  - CLEAR COAT
  - a) acute toxicity Not classified
    - No data available for the product
  - b) skin corrosion/irritation Not classified
    - No data available for the product
  - c) serious eye damage/irritation Not classified

    - No data available for the product
  - d) respiratory or skin sensitisation Not classified
    - No data available for the product
  - e) germ cell mutagenicity Not classified
    - No data available for the product
  - f) carcinogenicity
    - Not classified
    - No data available for the product
  - g) reproductive toxicity
    - Not classified
  - No data available for the product
  - h) STOT-single exposure
    - Not classified
    - No data available for the product
  - i) STOT-repeated exposure Not classified
    - No data available for the product
  - i) aspiration hazard

N374/6 Page n. 5 of 9



Not classified No data available for the product Toxicological information of the main substances found in the product: N.A. 11.2. Information on other hazards Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1% **SECTION 12: Ecological information** 12.1. Toxicity Adopt good working practices, so that the product is not released into the environment. CLEAR COAT Not classified for environmental hazards No data available for the product 1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5 a) Aquatic acute toxicity: Endpoint: EC10 - Species: Algae 0.04 mg/l - Duration h: 72 - Notes: (Selenastrum capricornutum) (OECD 201) Endpoint: EC50 - Species: Algae 0.11 mg/l - Duration h: 72 - Notes: (Selenastrum capricornutum) (OECD 201) S2238 Endpoint: EC50 - Species: Daphnia 3.27 mg/l - Duration h: 48 - Notes: (OECD 202) S 2240 Endpoint: LC50 - Species: Fish 1.6 mg/l - Duration h: 96 - Notes: (Oncorhynchus mykiss) (OECD 203) S 2746 Endpoint: NOEC - Species: Daphnia 1.2 mg/l - Notes: 21 d (OECD 211) S 803 Endpoint: NOEC - Species: Fish 0.21 mg/l - Notes: 28 d (OECD 215) S 805 reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9 a) Aquatic acute toxicity: Endpoint: EC50 - Species: Daphnia 0.1 mg/l - Duration h: 48 - Notes: daphnia magna Endpoint: EC50 - Species: Algae 0.048 mg/l - Duration h: 72 - Notes: pseudokirchneriella subcapitata Endpoint: EC50 - Species: Fish 0.22 mg/l - Duration h: 96 - Notes: oncorhynchus mykiss Endpoint: NOEC - Species: Algae 0.00064 mg/l - Duration h: 48 - Notes: skeletonema costatum Endpoint: NOEC - Species: Daphnia 0.004 mg/l - Duration h: 504 - Notes: daphnia magna Endpoint: NOEC - Species: Fish 0.098 mg/l - Duration h: 672 - Notes: oncorhynchus mvkiss Endpoint: NOEC - Species: Algae 0.0012 mg/l - Duration h: 72 - Notes: pseudokirchneriella subcapitata 12.2. Persistence and degradability N.A. 12.3. Bioaccumulative potential 1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5 Test: Kow - Partition coefficient 0.7 - Notes: (n-octanol/water) OECD 117 Log Kow (HPLC method) Test: BCF - Bioconcentrantion factor 6.95 - Notes: (fish) OECD 305 reaction mass of 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) - CAS: 55965-84-9 Not bioaccumulative - Test: BCF - Bioconcentrantion factor 3.16 - Notes: (calculated) S 1177 Not bioaccumulative - Test: Kow - Partition coefficient 0.71 - Notes: (n-octanol/water) S 5 12.4. Mobility in soil N.A. 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None 12.6. Endocrine disrupting properties

N374/6

Page n. 6 of 9



- No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None

### **SECTION 13: Disposal considerations**

13.1. Waste treatment methods

Recover if possible. In so doing, comply with the local and national regulations currently in force.

## **SECTION 14: Transport information**

- 14.1. UN number or ID number
  - The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
- 14.2. UN proper shipping name N.A.
- 14.3. Transport hazard class(es) N.A.
- 14.4. Packing group
- N.A. 14.5. Environmental hazards
- N.A.
- 14.6. Special precautions for user N.A.
- 14.7. Maritime transport in bulk according to IMO instruments N.A.

### **SECTION 15: Regulatory information**

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP)
- Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:
  - Restrictions related to the product:
    - No restriction.
  - Restrictions related to the substances contained:
    - Restriction 75

Where applicable, refer to the following regulatory provisions :

N374/6

Page n. 7 of 9



Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 None

15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

#### **SECTION 16: Other information**

Full text of phrases referred to in Section 3:

H330 Fatal if inhaled.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.
H302 Harmful if swallowed.
H400 Very toxic to aquatic life.
H411 Toxic to aquatic life with long lasting effects.
H310 Fatal in contact with skin.
H301 Toxic if swallowed.
H314 Causes severe skin burns and eye damage.
H410 Very toxic to aquatic life with long lasting effects.
EUH071 Corrosive to the respiratory tract.
H319 Causes serious eye irritation.

Hazard class and hazard category	Code	Description
Acute Tox. 2	3.1/2/Dermal	Acute toxicity (dermal), Category 2
Acute Tox. 2	3.1/2/Inhal	Acute toxicity (inhalation), Category 2
Acute Tox. 3	3.1/3/Oral	Acute toxicity (oral), Category 3
Acute Tox. 4	3.1/4/Oral	Acute toxicity (oral), Category 4
Skin Corr. 1C	3.2/1C	Skin corrosion, Category 1C
Skin Irrit. 2	3.2/2	Skin irritation, Category 2
Eye Dam. 1	3.3/1	Serious eye damage, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
Skin Sens. 1	3.4.2/1	Skin Sensitisation, Category 1
Skin Sens. 1A	3.4.2/1A	Skin Sensitisation, Category 1A
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878.



This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATE. ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	
CA3.	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of
	Chemicals.
IATA:	International Air Transport Association.
IATA-DGR:	Dangerous Goods Regulation by the "International Air Transport
	Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization"
	(ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods
	by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.