

luce_ 

Wall Painting
nature enlightens interiors



novacolor®
I colori dell'Architettura



LS 18300



LS 18305



LS 18310




LS 18301



LS 18306



LS 18311



LS 18302



LS 18307




LS 18312



LS 18303




LS 18308



LS 18313




LS 18304



LS 18309



LS 18314



LS 18315



LS 18320



LS 18324



LS 18316



LS 18321



LS 18325




LS 18317



LS 18322



LS 18326




LS 18318




LS 18323



LS 18327



LS 18319



BASE SILVER



LS 18328

luce_

Wall Painting

nature enlightens interiors

IT. Rivestimento decorativo testurizzato per interni, ad effetto metallizzato

Diluizione: pronto all'uso, diluizione max. 10% con acqua.
Applicare uno o due strati di Luce_Wall Painting con pennello tipo "spalter".

Resa: 5-7 m²/l nei due strati.

Per maggiori informazioni consultare la scheda tecnica.

EN. Textured decorative finish for interiors with soft metallic effects

Dilution: ready to use, dilute max. 10% with water.

Apply one or two layers of Luce_Wall Painting with "spalter" brush.

Yield: 5-7 m²/l in two layers.

For more information please check the technical data sheet.

FR. Revêtement décoratif pour intérieurs à effet texturé

Dilution: prêt à l'utilisation, dilution avec 10% d'eau maximum.

Appliquer une ou deux couches de Luce_Wall Painting avec pinceau à poils courts, type "spalter".

Rendement: 5-7 m²/l en deux couches.

Pour plus d'informations contrôler la fiche technique.

DE. Dekorative Innenbeschichtung mit Perlmutt-Effekt, Gold und Silber

Verdünnung: gebrauchsfertig, max. 10% mit Wasser.

Eine oder zwei Schichten von Luce_Wall Painting mit Spalter-Pinsel oder Bürste auftragen.

Ergiebigkeit: 5-7 m²/l in den zwei Schichten.

Für weiter Infos bitte sehen Sie das technische Merkblatt.





Luce_Wall Painting

COLOR TRENDS



LUCE_WALL PAINTING LS 18327



LUCE_WALL PAINTING LS 18328

“It is still color, it is not yet light.”

Pierre Bonnard



LUCE_WALL PAINTING LS 18329 & LS 18331




LS 18330



LS 18331





LS 18332



LS 18336



LS 18340


Luce_Wall Painting



LS 18337



LS 18341



LG 18333




LG 18338

LA NATURA
ILLUMINA GLI
INTERNI




LG 18334



BASE GOLD

NATURE
ENLIGHTENS
INTERIORS



LG18335



LG 18339



LUCE_WALL PAINTING



Riduce il carbon footprint. Certificato REDcert ²
Reduction of the carbon footprint. REDcert ² Certified

Le tonalità di questa cartella hanno valore puramente indicativo. The color samples in this color chart should be considered purely indicative.

novacolor[®]
I colori dell'Architettura

Novacolor Back office:
Via U. Aldrovandi 10, 47122 Forlì (FC)
Tel +39 0543 401840 – info@novacolor.it



Novacolor is committed to reduce
the environmental impact by producing
friendly materials.

AZIENDA CON
SISTEMA DI GESTIONE
CERTIFICATO DA DNV GL
= ISO 9001 =
= ISO 14001 =

COMPANY WITH
MANAGEMENT SYSTEM
CERTIFIED BY DNV GL
= ISO 9001 =
= ISO 14001 =



Made in Italy