

Safety Data Sheet BETOXAN 300



Safety Data Sheet dated 17/3/2022, version 8

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Mixture identification:

Trade name: BETOXAN 300

Trade code: 9490130

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use:

Premixed powder

1.3. Details of the supplier of the safety data sheet

Company:

SAN MARCO GROUP S.P.A.

Via Alta 10

30020 MARCON (VE) - Italy -

Tel.+39 041 4569322

Fax. +39 041 5950153

Competent person responsible for the safety data sheet:

sicurezza.prodotti@sanmarcogroup.it

1.4. Emergency telephone number

Technical information: SAN MARCO GROUP SPA +39 041 4569322 (Monday – Friday
9.00-12.30 ; 13.30-17.00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

⚠ Warning, Skin Irrit. 2, Causes skin irritation.

⚠ Danger, Eye Dam. 1, Causes serious eye damage.

⚠ Warning, Skin Sens. 1B, May cause an allergic skin reaction.

⚠ Warning, STOT SE 3, May cause respiratory irritation.

Adverse physicochemical, human health and environmental effects:

No other hazards

2.2. Label elements

Hazard pictograms:



Danger

Hazard statements:

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

H335 May cause respiratory irritation.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P332+P313 If skin irritation occurs: Get medical advice/attention.

P501 Dispose of contents / container in accordance with national regulations.

Safety Data Sheet

BETOXAN 300

Special Provisions:

None

Contains

Portland Cement Clinker

Special provisions according to Annex XVII of REACH and subsequent amendments:

None

2.3. Other hazards

No PBT, vPvB or endocrine disruptor substances present in concentration $\geq 0.1\%$

Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

N.A.

3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

| Qty | Name | Ident. Number | Classification |
|------------------------------|---------------------------------|---|--|
| $\geq 15\%$ - $< 20\%$ | Portland Cement Clinker | CAS: 65997-15-1 EC: 266-043-4 | <div> <div>3.8/3 STOT SE 3 H335</div> <div>3.2/2 Skin Irrit. 2 H315</div> <div>3.3/1 Eye Dam. 1 H318</div> <div>3.4.2/1B Skin Sens. 1B H317</div> </div> |
| $\geq 3\%$ - $< 5\%$ | aluminous cement | CAS: 65997-16-2 EC: 266-045-5 | <div> <div>3.2/2 Skin Irrit. 2 H315</div> <div>3.3/1 Eye Dam. 1 H318</div> </div> |
| $\geq 1\%$ - $< 3\%$ | calcium hydroxide | CAS: 1305-62-0 EC: 215-137-3 REACH No.: 01-2119475151-45-XXXX | <div> <div>3.2/2 Skin Irrit. 2 H315</div> <div>3.3/1 Eye Dam. 1 H318</div> <div>3.8/3 STOT SE 3 H335</div> </div> |
| $\geq 0.25\%$ - $< 0.5\%$ | Calcium oxide | CAS: 1305-78-8 EC: 215-138-9 REACH No.: 01-2119475325-36-XXXX | <div> <div>3.2/2 Skin Irrit. 2 H315</div> <div>3.3/1 Eye Dam. 1 H318</div> <div>3.8/3 STOT SE 3 H335</div> </div> |
| $\geq 0.1\%$ - $< 0.25\%$ | Aluminium calcium oxide sulfate | CAS: 12005-25-3 | <div> <div>3.4.2/1 Skin Sens. 1 H317</div> </div> |

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Immediately take off all contaminated clothing.

Areas of the body that have - or are only even suspected of having - come into contact with the product must be rinsed immediately with plenty of running water and possibly with soap.

OBTAIN IMMEDIATE MEDICAL ATTENTION.

Wash thoroughly the body (shower or bath).

Remove contaminated clothing immediately and dispose off safely.

After contact with skin, wash immediately with soap and plenty of water.

In case of eyes contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time,

Safety Data Sheet

BETOXAN 300

then consult an ophthalmologist immediately.

Protect uninjured eye.

In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

In case of inhalation, consult a doctor immediately and show him packing or label.

4.2. Most important symptoms and effects, both acute and delayed

None

4.3. Indication of any immediate medical attention and special treatment needed

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

Treatment:

None

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water.

Carbon dioxide (CO₂).

Extinguishing media which must not be used for safety reasons:

None in particular.

5.2. Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3. Advice for firefighters

Use suitable breathing apparatus .

Collect contaminated fire extinguishing water separately. This must not be discharged into drains.

Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protection equipment.

Wear breathing apparatus if exposed to vapours/dusts/aerosols.

Provide adequate ventilation.

Use appropriate respiratory protection.

See protective measures under point 7 and 8.

6.2. Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

Suitable material for taking up: absorbing material, organic, sand

6.3. Methods and material for containment and cleaning up

Wash with plenty of water.

6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Use localized ventilation system.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

Safety Data Sheet

BETOXAN 300

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contaminated clothing should be changed before entering eating areas.

Do not eat or drink while working.

7.2. Conditions for safe storage, including any incompatibilities

Keep away from food, drink and feed.

Incompatible materials:

None in particular.

Instructions as regards storage premises:

Adequately ventilated premises.

7.3. Specific end use(s)

None in particular

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Portland Cement Clinker - CAS: 65997-15-1

- OEL Type: ACGIH - TWA(8h): 1 mg/m³ - Notes: (E,R), A4 - Pulm func, resp symptoms, asthma

calcium hydroxide - CAS: 1305-62-0

- OEL Type: EU - TWA(8h): 1 mg/m³ - STEL: 4 mg/m³ - Notes: Respirable fraction

- OEL Type: ACGIH - TWA(8h): 5 mg/m³ - Notes: Eye, URT and skin irr

Calcium oxide - CAS: 1305-78-8

- OEL Type: ACGIH - TWA(8h): 2 mg/m³ - Notes: URT irr

- OEL Type: EU - TWA(8h): 1 mg/m³ - STEL: 4 mg/m³ - Notes: Respirable fraction

DNEL Exposure Limit Values

Portland Cement Clinker - CAS: 65997-15-1

Worker Professional: 0.001 mg/l - Exposure: Human Inhalation

calcium hydroxide - CAS: 1305-62-0

Worker Professional: 4 mg/m³ - Consumer: 4 mg/m³ - Exposure: Human Inhalation -

Frequency: Short Term, local effects

Worker Professional: 1 mg/m³ - Consumer: 1 mg/m³ - Exposure: Human Inhalation -

Frequency: Long Term, local effects

PNEC Exposure Limit Values

calcium hydroxide - CAS: 1305-62-0

Target: Fresh Water - Value: 0.49 mg/l

Target: Marine water - Value: 0.32 mg/l

Target: Microorganisms in sewage treatments - Value: 3 mg/l

Target: Soil (agricultural) - Value: 1080 mg/kg

8.2. Exposure controls

Eye protection:

Use close fitting safety goggles, don't use eye lens.

Protection for skin:

Use clothing that provides comprehensive protection to the skin, e.g. cotton, rubber, PVC or viton.

Protection for hands:

Use protective gloves that provides comprehensive protection, e.g. P.V.C., neoprene or rubber.

Respiratory protection:

Use respiratory protection where ventilation is insufficient or exposure is prolonged.

Thermal Hazards:

None

Environmental exposure controls:

None

Appropriate engineering controls:

None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

9490130/8

Page n. 4 of 10

Safety Data Sheet

BETOXAN 300

| Properties | Value | Method: | Notes |
|---|-----------|---------|-------|
| Physical state: | powder | -- | -- |
| Colour: | Grey | -- | -- |
| Odour: | odourless | -- | -- |
| Melting point/freezing point: | N.A. | -- | -- |
| Boiling point or initial boiling point and boiling range: | N.A. | -- | -- |
| Flammability: | N.A. | -- | -- |
| Lower and upper explosion limit: | N.A. | -- | -- |
| Flash point: | N.A. | -- | -- |
| Auto-ignition temperature: | N.A. | -- | -- |
| Decomposition temperature: | N.A. | -- | -- |
| pH: | 11 - 14 | -- | -- |
| Kinematic viscosity: | N.A. | -- | -- |
| Solubility in water: | | -- | -- |
| Solubility in oil: | N.A. | -- | -- |
| Partition coefficient n-octanol/water (log value): | N.A. | -- | -- |
| Vapour pressure: | N.A. | -- | -- |
| Density and/or relative density: | N.A. | -- | -- |
| Relative vapour density: | N.A. | -- | -- |
| Particle characteristics: | | | |
| Particle size: | N.A. | -- | -- |

9.2. Other information
No other relevant information

SECTION 10: Stability and reactivity

- 10.1. Reactivity
Stable under normal conditions
- 10.2. Chemical stability
Stable under normal conditions

9490130/8

Page n. 5 of 10

Safety Data Sheet

BETOXAN 300

- 10.3. Possibility of hazardous reactions
None
- 10.4. Conditions to avoid
Stable under normal conditions.
- 10.5. Incompatible materials
None in particular.
- 10.6. Hazardous decomposition products
None.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Toxicological information of the product:

BETOXAN 300

- a) acute toxicity
Not classified
No data available for the product
- b) skin corrosion/irritation
The product is classified: Skin Irrit. 2 H315
- c) serious eye damage/irritation
The product is classified: Eye Dam. 1 H318
- d) respiratory or skin sensitisation
The product is classified: Skin Sens. 1B H317
- e) germ cell mutagenicity
Not classified
No data available for the product
- f) carcinogenicity
Not classified
No data available for the product
- g) reproductive toxicity
Not classified
No data available for the product
- h) STOT-single exposure
The product is classified: STOT SE 3 H335
- i) STOT-repeated exposure
Not classified
No data available for the product
- j) aspiration hazard
Not classified
No data available for the product

Toxicological information of the main substances found in the product:

calcium hydroxide - CAS: 1305-62-0

a) acute toxicity:

- Test: LD50 - Route: Oral - Species: Rat > 2000 mg/kg
- Test: LD50 - Route: Skin - Species: Rabbit > 2500 mg/kg

11.2. Information on other hazards

Endocrine disrupting properties:

No endocrine disruptor substances present in concentration $\geq 0.1\%$

SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment.

BETOXAN 300

- Not classified for environmental hazards
- No data available for the product

calcium hydroxide - CAS: 1305-62-0

a) Aquatic acute toxicity:

Safety Data Sheet

BETOXAN 300

- Endpoint: LC50 - Species: Fish 50.6 mg/l - Duration h: 96 - Notes: tap water
Endpoint: LC50 - Species: Fish 457 mg/l - Duration h: 96 - Notes: see water
Endpoint: EC50 - Species: Daphnia 49.1 mg/l - Duration h: 48 - Notes: tap water
Endpoint: LC50 - Species: Daphnia 158 mg/l - Duration h: 96 - Notes: see water
Endpoint: EC50 - Species: Algae 184.57 mg/l - Duration h: 72 - Notes: tap water
Endpoint: NOEC - Species: Algae 48 mg/l - Duration h: 72 - Notes: see water
- b) Aquatic chronic toxicity:
Endpoint: NOEC - Species: Daphnia 32 mg/l - Duration h: 96
- d) Terrestrial toxicity:
Endpoint: NOEC 2000 mg/kg - Notes: macroorganism
Endpoint: NOEC 12000 mg/kg - Notes: microorganism
- e) Plant toxicity:
Endpoint: NOEC 1080 mg/kg - Duration h: 21 - Notes: days
- 12.2. Persistence and degradability
N.A.
- 12.3. Bioaccumulative potential
N.A.
- 12.4. Mobility in soil
N.A.
- 12.5. Results of PBT and vPvB assessment
vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
No endocrine disruptor substances present in concentration $\geq 0.1\%$
- 12.7. Other adverse effects
None

SECTION 13: Disposal considerations

- 13.1. Waste treatment methods
Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information

- 14.1. UN number or ID number
The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.
- 14.2. UN proper shipping name
N.A.
- 14.3. Transport hazard class(es)
N.A.
- 14.4. Packing group
N.A.
- 14.5. Environmental hazards
N.A.
- 14.6. Special precautions for user
N.A.
- 14.7. Maritime transport in bulk according to IMO instruments
N.A.

SECTION 15: Regulatory information

- 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture
Dir. 98/24/EC (Risks related to chemical agents at work)
Dir. 2000/39/EC (Occupational exposure limit values)
Regulation (EC) n. 1907/2006 (REACH)
Regulation (EC) n. 1272/2008 (CLP)
Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013

Safety Data Sheet

BETOXAN 300

Regulation (EU) n. 2020/878
 Regulation (EU) n. 286/2011 (ATP 2 CLP)
 Regulation (EU) n. 618/2012 (ATP 3 CLP)
 Regulation (EU) n. 487/2013 (ATP 4 CLP)
 Regulation (EU) n. 944/2013 (ATP 5 CLP)
 Regulation (EU) n. 605/2014 (ATP 6 CLP)
 Regulation (EU) n. 2015/1221 (ATP 7 CLP)
 Regulation (EU) n. 2016/918 (ATP 8 CLP)
 Regulation (EU) n. 2016/1179 (ATP 9 CLP)
 Regulation (EU) n. 2017/776 (ATP 10 CLP)
 Regulation (EU) n. 2018/669 (ATP 11 CLP)
 Regulation (EU) n. 2018/1480 (ATP 13 CLP)
 Regulation (EU) n. 2019/521 (ATP 12 CLP)
 Regulation (EU) n. 2020/217 (ATP 14 CLP)
 Regulation (EU) n. 2020/1182 (ATP 15 CLP)
 Regulation (EU) n. 2021/643 (ATP 16 CLP)

Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications:

Restrictions related to the product:

Restriction 3

Restrictions related to the substances contained:

Restriction 47

Restriction 75

Where applicable, refer to the following regulatory provisions :

Directive 2012/18/EU (Seveso III)

Regulation (EC) nr 648/2004 (detergents).

Dir. 2004/42/EC (VOC directive)

Provisions related to directive EU 2012/18 (Seveso III):

Seveso III category according to Annex 1, part 1

None

15.2. Chemical safety assessment

No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3:

H335 May cause respiratory irritation.

H315 Causes skin irritation.

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

| Hazard class and hazard category | Code | Description |
|----------------------------------|----------|--|
| Skin Irrit. 2 | 3.2/2 | Skin irritation, Category 2 |
| Eye Dam. 1 | 3.3/1 | Serious eye damage, Category 1 |
| Skin Sens. 1 | 3.4.2/1 | Skin Sensitisation, Category 1 |
| Skin Sens. 1B | 3.4.2/1B | Skin Sensitisation, Category 1B |
| STOT SE 3 | 3.8/3 | Specific target organ toxicity - single exposure, Category 3 |

Safety Data Sheet

BETOXAN 300

This safety data sheet has been completely updated in compliance to Regulation 2020/878.
Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

| Classification according to Regulation (EC) Nr. 1272/2008 | Classification procedure |
|---|--------------------------|
| Skin Irrit. 2, H315 | Calculation method |
| Eye Dam. 1, H318 | Calculation method |
| Skin Sens. 1B, H317 | Calculation method |
| STOT SE 3, H335 | Calculation method |

This document was prepared by a competent person who has received appropriate training.

Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre,
Commission of the European Communities
SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van
Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.
It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

| | |
|-------------|--|
| ADR: | European Agreement concerning the International Carriage of Dangerous Goods by Road. |
| ATE: | Acute Toxicity Estimate |
| ATEmix: | Acute toxicity Estimate (Mixtures) |
| CAS: | Chemical Abstracts Service (division of the American Chemical Society). |
| CLP: | Classification, Labeling, Packaging. |
| DNEL: | Derived No Effect Level. |
| EINECS: | European Inventory of Existing Commercial Chemical Substances. |
| GefStoffVO: | Ordinance on Hazardous Substances, Germany. |
| GHS: | Globally Harmonized System of Classification and Labeling of Chemicals. |
| IATA: | International Air Transport Association. |
| IATA-DGR: | Dangerous Goods Regulation by the "International Air Transport Association" (IATA). |
| ICAO: | International Civil Aviation Organization. |
| ICAO-TI: | Technical Instructions by the "International Civil Aviation Organization" (ICAO). |
| IMDG: | International Maritime Code for Dangerous Goods. |
| INCI: | International Nomenclature of Cosmetic Ingredients. |
| KSt: | Explosion coefficient. |
| LC50: | Lethal concentration, for 50 percent of test population. |
| LD50: | Lethal dose, for 50 percent of test population. |
| PNEC: | Predicted No Effect Concentration. |
| RID: | Regulation Concerning the International Transport of Dangerous Goods by Rail. |
| STEL: | Short Term Exposure limit. |
| STOT: | Specific Target Organ Toxicity. |
| TLV: | Threshold Limiting Value. |
| TWA: | Time-weighted average |

Safety Data Sheet

BETOXAN 300

WGK: German Water Hazard Class.