

GRAFFITI REMOVER

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 15-10-2025

Version : 11

Print date: 15-10-2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product identifier : 778

Name: GRAFFITI REMOVER

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Paint remover

1.3 Details of the supplier of the safety data sheet

Supplier: San Marco Group Spa

Address: Via Alta, 10

Postal code/City: 30020 - Marcon (VE)

Country: Italy

Telephone: +39 041 4569322

E-mail (competent person): sicurezza.prodotti@sanmarcogroup.it

1.4 Emergency telephone number

Emergency phone number

Malta: Emergency number: 112 (24/7)

Luxembourg: (+352) 8002 5500

Free telephone number with a 24/7 access

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam Liq. 3, H226

Eye Dam. 1, H318

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms



Signal word: Danger

Contains: 1,3-dioxolane.

Hazard statements

H226 - Flammable liquid and vapour.

H318 - Causes serious eye damage.

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P280 - Wear protective gloves/clothing and eye/face protection.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P405 - Store locked up.

GRAFFITI REMOVER

Supplemental hazard information

This information is not available.

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Hazardous ingredients

| Name | Product identifier | Concentration | Classification according to Regulation (EC) No 1272/2008 [CLP] | SCL, M-factor, ATE |
|---------------------|--|--------------------|---|--|
| propylene carbonate | CAS No. : 108-32-7 EC No.: 203-572-1 Index No.: 607-194-00-1 EU REACH No. : 01-2119537232-48-XXXX | 15.0% <= C < 20.0% | Eye Irrit. 2, H319 / | |
| 1,3-dioxolane | CAS No. : 646-06-0 EC No.: 211-463-5 Index No.: 605-017-00-2 EU REACH No. : 01-2119490744-29-XXXX | 7.0% <= C < 10.0% | Flam Liq. 2, H225 / Eye Dam. 1, H318 / | |
| methanol | CAS No. : 67-56-1 EC No.: 200-659-6 Index No.: 603-001-00-X EU REACH No. : 01-2119433307-44-XXXX | 0.1% <= C < 0.25% | Flam Liq. 2, H225 / oral Acute Tox. 3, H301 / dermal Acute Tox. 3, H311 / inhalation Acute Tox. 3, H331 / STOT SE 1, H370 / Substance with a community workplace exposure limit | STOT SE 1; H370: C >= 10.% / STOT SE 2; H371: 3.% <= C < 10.% / cATpE (oral): 100 mg/kg bw / cATpE (dermal): 300 mg/kg bw / cATpE (Inhalation): 3.0 mg/L |

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Seek medical advice immediately (poison centre).

Following inhalation:

Remove casualty to fresh air and keep warm and at rest.

Following skin contact:

Remove contaminated, saturated clothing immediately.

Wash thoroughly the body (shower or bath).

After eye contact:

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

Protect uninjured eye.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

There are no specific information on symptoms and effects caused by the product. Delayed effects: based on the information currently available, there are no known cases of delayed effects following exposure to this product.

GRAFFITI REMOVER

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Extinguishing powder
Carbon dioxide (CO₂)

Unsuitable extinguishing media

Water

5.2 Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.
Burning produces heavy smoke.

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.
Move undamaged containers from immediate hazard area if it can be done safely.
Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Use personal protection equipment.
Remove all sources of ignition.
Remove persons to safety.

6.1.2 For emergency responders

Use personal protection equipment.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil.
Do not allow to enter into surface water or drains.
Retain contaminated washing water and dispose it.
In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

6.3.1 For containment

Suitable material for taking up:
Absorbing material, organic
Sand

6.3.2 For cleaning up

Wash with plenty of water.

6.3.3 Other information

No data available

6.4 Reference to other sections

Personal protection equipment: see section 8
Disposal: see section 13
Safe handling: see section 7

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Protective measures

GRAFFITI REMOVER

Handle and open container with care.

7.1.2 Advices on general occupational hygiene

Avoid contact with skin, eyes and clothes.

Remove contaminated, saturated clothing.

Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat, drink, smoke, sniff.

7.1.3 Measures to prevent aerosol and dust generation

No special measures are necessary.

7.1.4 Environmental precautions

No special measures are necessary.

7.1.5 Measures to prevent fire

Keep away from sources of heat (e.g. hot surfaces), sparks and open flames.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Technical measures and storage conditions

Ensure adequate ventilation of the storage area.

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122 °F.

7.2.2 Requirements for storage rooms and vessels

This information is not available.

7.2.3 Packaging materials:

This information is not available.

7.2.4 Storage class

This information is not available.

7.3 Specific end use(s)

7.3.1 Recommendation

Observe instructions for use.

7.3.2 Industrial sector specific solutions

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

1,3-dioxolane - CAS: 646-06-0

| Type | Country | mg/m³ | ppm | Test duration | mg/m³ | ppm | Test duration | Remark | Source |
|-------|---------|-------|------|---------------|-------|-----|---------------|-----------------|--------|
| ACGIH | | | 20.0 | 8h | | | | Hematologic eff | |

methanol - CAS: 67-56-1

| Type | Country | mg/m³ | ppm | Test duration | mg/m³ | ppm | Test duration | Remark | Source |
|--------|---------|-------|-------|---------------|-------|-------|---------------|--|-------------------------------------|
| UE | | 260.0 | 200.0 | 8h | | | | Skin | |
| ACGIH | | | 200.0 | 8h | | 250.0 | | Skin, BEI - Headache, eye dam, dizziness, nausea | |
| WEL | | 266.0 | 200.0 | 8h | 333.0 | 250.0 | 15min | Sk | EH40/2005 Workplace exposure limits |
| PC-TWA | | 25.0 | | 8h | | | | (skin) | |

Monitoring and observation processes

This information is not available.

DNEL values

1,3-dioxolane - CAS: 646-06-0

| DNEL worker | Exposure route | Exposure time | Type | Value | Remark |
|-------------|----------------|---------------|------|-------|--------|
|-------------|----------------|---------------|------|-------|--------|

GRAFFITI REMOVER

| | | | | | |
|-----------|------------|-----------|-----------|-------------------------|--|
| Workers | Inhalation | long-term | long-term | 18.09 mg/m ³ | |
| Consumers | Inhalation | long-term | long-term | 4.5 mg/m ³ | |
| Workers | dermal | long-term | long-term | 4.36 mg/kg bw/day | |
| Consumers | dermal | long-term | long-term | 6.5 mg/kg bw/day | |
| Consumers | oral | long-term | long-term | 6.5 mg/kg bw/day | |

PNEC

1,3-dioxolane - CAS: 646-06-0

| Type | Value | Remark |
|------------------------|------------|--------|
| aquatic, freshwater | 19.7 mg/L | |
| aquatic, marine water | 1.97 mg/L | |
| sediment, freshwater | 77.7 mg/kg | |
| sediment, marine water | 7.77 mg/kg | |
| soil | 2.62 mg/kg | |
| sewage treatment plant | 1.0 mg/L | |

Biological limit values

This information is not available.

8.2 Exposure controls

Appropriate engineering controls

See section 7 of the safety data sheet.

Personal protection equipment

Skin protection

Body protection:

For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes).

Care should be taken in the selection of protective clothing to ensure that inflammation and irritation of the skin at neck and wrists through contact with the product are avoided.

Breakthrough times and swelling properties of the material must be taken into consideration.

Hand protection

Tested protective gloves must be worn

The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances.

Eye/face protection

Face protection shield

Do not wear contact lenses.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

This information is not available.

Environmental exposure controls

This information is not available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|----------------|----------------|
| Physical state | liquid |
| Colour | colourless |
| Odour | characteristic |
| Melting point | Not applicable |

GRAFFITI REMOVER

| | |
|--|------------------------------------|
| Freezing point | Not applicable |
| Softening point | Not applicable |
| Boiling point or initial boiling point and boiling range | >35 °C |
| flammability | Flammable |
| Lower and upper explosion limit | Not applicable |
| Flash point | >23 °C |
| pH | Not applicable |
| Auto-ignition temperature | Not applicable |
| Decomposition temperature | Not applicable |
| Viscosity | This information is not available. |
| Water solubility | Immiscible |
| Fat solubility (Oil) | This information is not available. |
| Solubility (Ethanol) | This information is not available. |
| Partition coefficient n-octanol/water (log value) | Not applicable |
| Vapour pressure | This information is not available. |
| Density | 1,09 kg/L |
| Relative vapour density | This information is not available. |
| refraction index | This information is not available. |
| Particle size | Not applicable |
| Particle size distribution range | Not applicable |
| Shape and aspect ratio | Not applicable |
| Aggregation and agglomeration state | Not applicable |
| Specific surface area | Not applicable |

9.2 Other information

9.2.1 Information with regard to physical hazard classes flammable liquids

GRAFFITI REMOVER

This information is not available.

9.2.2 Other safety characteristics

This information is not available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

Further risks: see subsection 2.3.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

Further information on storage conditions: see subsection 7.2.

10.5 Incompatible materials

This information is not available.

10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Mixtures

Acute toxicity

ate (oral): 47169.811 mg/kg bw

ate (oral): 141509.434 mg/kg bw

ate (oral): 1415.094 mg/kg bw

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Assessment/classification: Eye Dam. 1/H318

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Substances

1,3-dioxolane - CAS: 646-06-0

GRAFFITI REMOVER

Acute toxicity

| Method | Species: | Exposure route | Exposure time | Value | Source | Notes | Considerations |
|--------|----------|---------------------|---------------|----------------|--------|-------|----------------|
| LD50 | Rat | oral | | > 2000.0 mg/kg | | | |
| LD50 | Rabbit | dermal | | > 2000.0 mg/kg | | | |
| LC50 | Rat | Inhalation (vapour) | | 68.4 mg/L | | | |

STOT-repeated exposure

| Method | Species: | Exposure route | Exposure time | Value | Source | Notes | Considerations |
|--------|----------|----------------|---------------|------------|--------|-------|----------------|
| NOAEC | Rat | Inhalation | | 0.903 mg/L | | | |

11.2 Information on other hazards

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

This information is not available.

SECTION 12: Ecological information

12.1 Toxicity

Do not allow uncontrolled discharge of product into the environment.

There are no data available on the mixture itself.

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Mixtures

There are no data available on the mixture itself.

Substances

methanol - CAS: 67-56-1

Aquatic acute toxicity

| Effective dose | Species | Test duration | Value | Notes | Method | Source | Considerations |
|----------------|---------------------------------|---------------|----------------|---------|--------|--------|----------------|
| LC50 | Danio rerio (zebrafish) | 96h | 15400.0 mg/L | lepomis | | | |
| EC50 | Pseudokirchneriella subcapitata | 48h | > 10000.0 mg/L | Daphnia | | | |

12.2 Persistence and degradability

Mixtures

This information is not available.

Substances

This information is not available.

12.3 Bioaccumulative potential

Mixtures

This information is not available.

Substances

This information is not available.

12.4 Mobility in soil

Mixtures

This information is not available.

Substances

This information is not available.

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

GRAFFITI REMOVER

12.7 Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

NO English translation

13.1.1 Disposal operations

Delivery to an approved waste disposal company.

Consult the appropriate authorities about waste disposal.

Packing which cannot be properly cleaned must be disposed of.

13.1.2 Other disposal recommendations

Recycle according to official regulations.

SECTION 14: Transport information

Hazard pictograms



14.1 UN number

| | |
|-------------------|--------|
| ADR/RID/ADN: | UN1993 |
| IMDG: | UN1993 |
| ICAO-TO/IATA-DGR: | UN1993 |

14.2 UN proper shipping name

| | |
|-------------------|--|
| ADR/RID/ADN: | FLAMMABLE LIQUID, N.O.S. (1,3-dioxolane; methanol) |
| IMDG: | FLAMMABLE LIQUID, N.O.S. (1,3-dioxolane; methanol) |
| ICAO-TO/IATA-DGR: | FLAMMABLE LIQUID, N.O.S. (1,3-dioxolane; methanol) |

14.3 Transport hazard class(es)

| | |
|-------------------|---|
| ADR/RID/ADN: | 3 |
| IMDG: | 3 |
| ICAO-TO/IATA-DGR: | 3 |

14.4 Packing group

GRAFFITI REMOVER

| | |
|-------------------|-----|
| ADR/RID/ADN: | III |
| IMDG: | III |
| ICAO-TO/IATA-DGR: | III |

14.5 Environmental hazards

| | |
|-------------------|--|
| ADR/RID/ADN: | No special environmental measures are necessary. |
| IMDG: | No special environmental measures are necessary. Marine pollutant: No |
| ICAO-TO/IATA-DGR: | No special environmental measures are necessary. |

14.6 Special precautions for user

| | | |
|-------------------|---|-----------------|
| ADR/RID/ADN: | Limited quantity (LQ) | 5 L |
| | Excepted Quantities (EQ) | E1 |
| | Special Provisions | 274 601 |
| | Classification code: | F1 |
| | Transport category | 3 |
| | Tunnel restriction code | D/E |
| | Hazard identification number (Kemler No.) | 30 |
| IMDG: | Limited quantity (LQ) | 5 L |
| | Excepted Quantities (EQ) | E1 |
| | Special Provisions | 223 274 955 |
| | Segregation group | - |
| | Stowage | Category A |
| | EmS-No. | F-E, <u>S-E</u> |
| ICAO-TO/IATA-DGR: | Limited quantity (LQ) | 5 L |
| | Excepted Quantities (EQ) | E1 |
| | Special Provisions | A3 |
| | Subsidiary Risks | - |
| | Emergency Response Guide Number | 3L |
| | Passenger Aircraft/Rail | 355 |
| | Cargo Aircraft only | 366 |

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 and subsequent amendments

Regulation (EC) No 1272/2008 (CLP) and subsequent amendments

Latest amendment

Commission delegated Regulation (EU) 2024/2865

Regulation (EU) No. 2020/878

GRAFFITI REMOVER

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds
Not relevant

Other regulations (EU)

This information is not available.

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Mixtures

Use restriction according to REACH annex XVII, no.: 3, 40

Other relevant ingredients

Use restriction according to REACH annex XVII, no.: 69

methanol (CAS: 67-56-1; EINECS: 200-659-6; INDEX: 603-001-00-X)

Use restriction according to REACH annex XVII, no.: 75

methanol (CAS: 67-56-1; EINECS: 200-659-6; INDEX: 603-001-00-X)

propylene carbonate (CAS: 108-32-7; EINECS: 203-572-1; INDEX: 607-194-00-1)

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer

not relevant

Regulation (EU) 2019/1148 (marketing and use of explosives precursors)

not relevant

Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]

Hazard categories: P5c

National regulations

This information is not available.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes

This safety data sheet has been completely updated

Abbreviations and acronyms

| Abbreviations and acronyms | Description |
|----------------------------|---|
| ACGIH | American Conference of Governmental Industrial Hygienists |
| ADN | European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways |
| ADR | European Agreement concerning the International Carriage of Dangerous Goods by Road |
| AOX | Adsorbable Organic halogen compounds |
| ATE | Acute Toxicity Estimate |
| ATEmix | Acute Toxicity Estimate for Mixtures |
| BCF | Bioconcentration Factor |
| BLV | Biological Limit Value |
| BOD | Biochemical (Biological) Oxygen Demand |
| bw | body weight |
| CAS | Chemical Abstracts Service |
| CK | Peak concentration |
| CLP | Classification, Labelling and Packaging |
| CMR | Carcinogenic, Mutagenic, toxic for Reproduction |
| CO2 | Carbon dioxide |
| COD | Chemical Oxygen Demand |
| COSHH | Control of Substances Hazardous to Health |
| CSA | Chemical Safety Assessment |
| CSR | Chemical Safety Report |
| DGR | Dangerous Goods Regulations (IATA) |

GRAFFITI REMOVER

| | |
|----------|---|
| DMEL | Derived Minimal Effect Level |
| DNEL | Derived No-Effect Level |
| DOC | Dissolved Organic Carbon |
| DU | Downstream User |
| EbC50 | Effective Concentration 50 % reduction in biomass |
| EC | European Community |
| EC10 | Effective Concentration 10% |
| EC50 | Effective Concentration 50% |
| ECHA | European Chemicals Agency |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| EL50 | Effective Loading 50 % |
| ELINCS | European Inventory of Existing Commercial Chemical Substances |
| EmS | emergency procedures |
| EN | European Standard |
| ErC10 | Effective Concentration 10 % reduction in growth rate |
| ErC50 | Effective Concentration 50 % reduction in growth rate |
| ES | Exposure Scenario |
| EU | European Union |
| EWC | European Waste Catalogue |
| GHS | Globally Harmonized System of Classification and Labelling of Chemicals |
| IATA | International Air Transport Association |
| IC50 | Inhibition Concentration 50 % |
| ICAO | International Civil Aviation Organization |
| IMDG | International Maritime Dangerous Goods |
| IMO | International Maritime Organization |
| INCI | International nomenclature of cosmetic ingredients |
| ISO | International Organization for Standardization |
| IUPAC | International Union of Pure and Applied Chemistry |
| KOC | Partition coefficient n-octanol/water |
| LC50 | Lethal (fatal) Concentration 50% |
| LD50 | Lethal (fatal) Dose 50% |
| LDL0 | Lowest Lethal (fatal) Dose |
| LL50 | Lethal Loading 50 % |
| LOAEC | Lowest Observed Adverse Effect Concentration |
| LOAEL | Lowest Observed Adverse Effect Level |
| LOEC | Lowest Observable Effect Concentration |
| LOEL | Lowest Observable Effect Level |
| M-factor | Multiplication factor |
| NOAEC | no observed adverse effect concentration |
| NOAEL | No Observed Adverse Effect Level |
| NOEC | No Observed Effect Concentration |
| NOEL | No Observed Effect Level |
| NOELR | No Observed Effect Level |
| OECD | Organisation for Economic Cooperation and Development |
| OEL | Occupational exposure limit (EU) |
| PBT | persistent and bioaccumulative and toxic |
| PEC | Predicted Environmental Concentration |
| PEL | Permissible Exposure Limit |
| PNEC | Predicted No Effect Concentration |
| PROC | Process Category |
| REACH | Registration, Evaluation and Authorization of Chemicals |
| RID | Dangerous goods regulations for transport by rail |
| SCL | Specific concentration limit |
| STEL | Short-term Exposure Limit |
| STOT | Specific Target Organ Toxicity |
| STP | sewage treatment plant |
| SU | use category |
| SVHC | substance of very high concern |

GRAFFITI REMOVER

| | |
|-------|---|
| ThCO2 | Theoretical carbon dioxide amount |
| TLV | Threshold Limit Value |
| TWA | Eight-hour time-weighted average exposure limit value |
| UN | United Nations |
| VOC | Volatile organic compounds |

Key literature references and sources for data

Regulation (EC) No. 1272/2008 on the classification, labelling, and packaging (Classification, Labelling and Packaging) of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/UE.
Guidance on the compilation of safety data sheets by ECHA
European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)
International Maritime Dangerous Goods Code (IMDG)
IATA Dangerous Goods Regulations (IATA DGR)
The ED Lists (List I: Substances identified as endocrine disruptors at EU level, List II: Substances under evaluation for endocrine disruption under an EU legislation, List III: Substances considered, by the evaluating National Authority, to have endocrine disrupting properties)

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

| Classification according to Regulation (EC) No 1272/2008 [CLP] | List of relevant hazard statements and/or precautionary statements from sections 2 to 15 |
|--|--|
| Flam Liq. 3, H226 | Flammable liquid and vapour. |
| Eye Dam. 1, H318 | Causes serious eye damage. |
| Flam Liq. 2, H225 | Highly flammable liquid and vapour. |
| oral Acute Tox. 3, H301 | Toxic if swallowed. |
| dermal Acute Tox. 3, H311 | Toxic in contact with skin. |
| inhalation Acute Tox. 3, H331 | Toxic if inhaled. |
| STOT SE 1, H370 | Causes damage to organs <or state all organs affected, if known> <state route of exposure if it is conclusively proven that no other routes of exposure cause the hazard>. |
| Eye Irrit. 2, H319 | Causes serious eye irritation. |

Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

| Classification according to Regulation (EC) No 1272/2008 [CLP] | Classification procedure |
|--|--------------------------|
| Flam Liq. 3, H226 | |
| Eye Dam. 1, H318 | |

Disclaimer: The information in this safety data sheet (SDS) applies only to the specified product, unless otherwise specified, for the mixture of this product and other substances, etc. Circumstances do not apply. This SDS only provides information on product safety for those who have received proper professional training. Users of this SDS must make independent judgments on the applicability of this SDS under special conditions of use. In special occasions, the writer of this SDS will not be responsible for any damage caused by using this SDS.