

Revision date: 26-09-2025 Print date: 26-09-2025 Version: 6

### **GRIP 025**

# Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 26-09-2025 Version: 6 Print date: 26-09-2025

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Product identifier: 478 Name: GRIP 025

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Coating material

### 1.3 Details of the supplier of the safety data sheet

Supplier: San Marco Group Spa

Address: Via Alta, 10

Postal code/City: 30020 - Marcon (VE)

Country: Italy

Telephone: +39 041 4569322

E-mail (competent person): sicurezza.prodotti@sanmarcogroup.it

#### 1.4 Emergency telephone number

#### **Emergency phone number**

Malta: Emergency number: 112 (24/7) Luxembourg: (+352) 8002 5500 Free telephone number with a 24/7 access

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

### 2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

The mixture is classified as not hazardous according to regulation (EC) No 1272/2008 [CLP].

Precautionary statements

This information is not available.

Supplemental hazard information

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

EUH210 - Safety data sheet available on request.

#### 2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### SECTION 3: Composition/information on ingredients

## 3.1 Substances

Not applicable

### 3.2 Mixtures

Hazardous ingredients



Revision date: 26-09-2025 Print date: 26-09-2025 Version: 6

## **GRIP 025**

Name	Product identifier	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL, M-factor, ATE
1,2-benzisothiazol-3(2H)-one	CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6	0.01% <= C < 0.036%		,
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2- methyl-2H-isothiazol-3-one (3:1)	CAS No.: 55965-84-9 Index No.: 613-167-00-5	0.00015% <= C < 0.0015%	Tox. 2, H310 / inhalation Acute Tox. 2, H330 / Skin Corr. 1C, H314 / Eye Dam. 1, H318 / Skin Sens. 1, H317 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410 / EUH071,/	Skin Corr. 1C; H314: C >= 0.6% / Skin Irrit. 2; H315: 0.06% <= C < 0.6% / Eye Dam. 1; H318: C >= 0.6% / Eye Irrit. 2; H319: 0.06% <= C < 0.6% / Skin Sens. 1A; H317: C >= 0.0015% / ATE (oral):66.0 mg/kg bw / ATE (dermal):141.0 mg/kg bw / ATE (inhalation, dust/mist):0.17 mg/L / M (acute) =100 / M (chronic) =100

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

### SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### Following inhalation:

Remove casualty to fresh air and keep warm and at rest.

#### Following skin contact:

Wash immediately with:

Water and soap

#### After eye contact:

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

### Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

### 4.2 Most important symptoms and effects, both acute and delayed

There are no specific information on symptoms and effects caused by the product. Delayed effects: based on the information currently available, there are no known cases of delayed effects following exposure to this product.

### 4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

Water

Carbon dioxide (CO2)

### Unsuitable extinguishing media

No special measures are necessary.

#### 5.2 Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

### 5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.



### **GRIP 025**

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

#### 6.1.1 For non-emergency personnel

Use personal protection equipment.

Remove persons to safety.

#### 6.1.2 For emergency responders

Use personal protection equipment.

### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

Retain contaminated washing water and dispose it.

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

### 6.3 Methods and material for containment and cleaning up

#### 6.3.1 For containment

Suitable material for taking up:

Absorbing material, organic

Sand

#### 6.3.2 For cleaning up

Wash with plenty of water.

#### 6.3.3 Other information

No data available

## 6.4 Reference to other sections

Disposal: see section 13

Personal protection equipment: see section 8

Safe handling: see section 7

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

#### 7.1.1 Protective measures

No special measures are necessary.

### 7.1.2 Advices on general occupational hygiene

Remove contaminated, saturated clothing.

Avoid contact with skin, eyes and clothes.

Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat, drink, smoke, sniff.

### 7.1.3 Measures to prevent aerosol and dust generation

Fresh air (open windows and doors) is necessary.

#### 7.1.4 Environmental precautions

No special measures are necessary.

#### 7.1.5 Measures to prevent fire

No special fire protection measures are necessary.

### 7.2 Conditions for safe storage, including any incompatibilities

### 7.2.1 Technical measures and storage conditions

Keep in a cool, well-ventilated place.

#### 7.2.2 Requirements for storage rooms and vessels

This information is not available.



## **GRIP 025**

#### 7.2.3 Packaging materials:

This information is not available.

#### 7.2.4 Storage class

This information is not available.

### 7.3 Specific end use(s)

#### 7.3.1 Recommendation

Observe instructions for use.

#### 7.3.2 Industrial sector specific solutions

This information is not available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

This information is not available.

#### Monitoring and observation processes

This information is not available.

#### **DNEL** values

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

DNEL worker	Exposure route	Exposure time	Туре	Value	Remark
Workers	Inhalation	long-term	local	0.02 mg/m <sup>3</sup>	
Consumers	Inhalation	long-term	local	0.02 mg/m <sup>3</sup>	
Workers	Inhalation	short-term	acute	0.04 mg/m <sup>3</sup>	
Consumers	Inhalation	short-term	acute	0.04 mg/m <sup>3</sup>	
Consumers	oral	long-term	systemic	0.09 mg/kg bw/day	
Consumers	oral	short-term	acute	0.11 mg/kg bw/day	

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

DNEL worker	Exposure route	Exposure time	Туре	Value	Remark
Workers	Inhalation	long-term	systemic	6.81 mg/m <sup>3</sup>	
Consumers	Inhalation	long-term	systemic	1.2 mg/m <sup>3</sup>	
Workers	dermal	long-term	systemic	0.966 mg/kg bw/day	
Consumers	dermal	long-term	systemic	0.345 mg/kg bw/day	

### <u>PNEC</u>

Туре	Value	Remark
aquatic, freshwater	3.39 µg/L	
aquatic, marine water	3.39 µg/L	
sewage treatment plant	0.23 mg/L	
sediment, freshwater	0.027 mg/kg	
sediment, marine water	0.027 mg/kg	
soil	0.01 mg/kg	

#### 1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

Туре	Value	Remark
aquatic, freshwater	4.03 μg/L	
aquatic, marine water	0.403 μg/L	
sewage treatment plant	1.03 mg/L	
sediment, freshwater	0.499 mg/kg	
sediment, marine water	0.499 mg/kg	
soil	3.0 mg/kg	

### Biological limit values

This information is not available.

## 8.2 Exposure controls



## **GRIP 025**

#### Appropriate engineering controls

See section 7. No additional measures necessary.

## Personal protection equipment

Skin protection

**Body protection:** 

Body protection: not required.

Hand protection

Hand protection is not required.

Eye/face protection

Eye protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

#### Thermal hazards

This information is not available.

### $\underline{\text{Environmental exposure controls}}$

This information is not available.

### SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties	
Physical state	liquid
Colour	various
Odour	characteristic
Melting point	Not applicable
Freezing point	<0°C Remark: waterfall
Softening point	Not applicable
Boiling point or initial boiling point and boiling range	>100 °C Remark: waterfall
flammability	Non-flammable.
Lower and upper explosion limit	Not applicable
Flash point	Not applicable
рН	8.5 < pH < 9.5
Auto-ignition temperature	Not applicable
Decomposition temperature	Not applicable
Viscosity	This information is not available. Remark: Tixotropic



## **GRIP 025**

Water solubility	emulsifiable
Fat solubility (Oil)	This information is not available.
Solubility (Ethanol)	This information is not available.
Partition coefficient n-octanol/water (log value)	Not applicable
Vapour pressure	Not applicable
Density	1,55 kg/L
Relative vapour density	Not applicable
refraction index	This information is not available.
Particle size	Not applicable
Particle size distribution range	Not applicable
Shape and aspect ratio	Not applicable
Aggregation and agglomeration state	Not applicable
Specific surface area	Not applicable

## 9.2 Other information

9.2.1 Information with regard to physical hazard classes

This information is not available.

9.2.2 Other safety characteristics

This information is not available.

### SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

### 10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

### 10.3 Possibility of hazardous reactions

No known hazardous reactions. Further risks: see subsection 2.3.

### 10.4 Conditions to avoid

Stable under recommended storage and handling conditions. Further information on storage conditions: see subsection 7.2.

## 10.5 Incompatible materials



### **GRIP 025**

No further relevant information available.

#### 10.6 Hazardous decomposition products

No known hazardous decomposition products.

### SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Mixtures

#### **Acute toxicity**

Based on available data, the classification criteria are not met.

#### Skin corrosion/irritation

Based on available data, the classification criteria are not met.

#### Serious eye damage/irritation

Based on available data, the classification criteria are not met.

#### Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

#### STOT-single exposure

Based on available data, the classification criteria are not met.

#### STOT-repeated exposure

Based on available data, the classification criteria are not met.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Substances

Respiratory or skin sensitisation

Method	Species:	Exposure route	Exposure time	Value	Source	Notes	Considerations
	Guinea pig	dermal				OECD 406,	
						sensitising - S 171 (b)	

 $1,\!2\text{-benzisothiazol-3(2H)-one-CAS:}\ 2634\text{-}33\text{-}5$ 

Acute toxicity

Method	Species:	Exposure route	Exposure time	Value	Source	Notes	Considerations
LD50	Rat	oral		> 15000.0 mg/kg			
LD50	Rat	dermal		> 2000.0 mg/kg			

## 11.2 Information on other hazards

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

### Other information

This information is not available.

### SECTION 12: Ecological information

#### 12.1 Toxicity

Do not allow uncontrolled discharge of product into the environment.

There are no data available on the mixture itself.

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

### Mixtures

There are no data available on the mixture itself.

#### Substances

 $reaction\ mass\ of\ 5-chloro-2-methyl-2H-isothiazol-3-one\ and\ 2-methyl-2H-isothiazol-3-one\ (3:1)\ -\ CAS:\ 55965-84-9$  Aquatic acute toxicity



## **GRIP 025**

Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50	Daphnia magna	48h	0.1 mg/L	OECD 202			
	(Big water flea)						
C50	Skeletonema	48h	0.0052 mg/L	OECD 201			Rac Opinion
	costatum						
	rm) toxicity to alga	e and cyanobact					
ffective dose	Species	Test duration		Notes	Method	Source	Considerations
EC50	Pseudokirchnerie subcapitata	ella 72h	0.048 mg/L	OECD 201			
Acute (short-ter	rm) fish toxicity						
Effective dose		Test duration	Value	Notes	Method	Source	Considerations
.C50		96h	0.22 mg/L	Oecd 203	Method	Jource	Considerations
.030	mykiss	7011	0.22 Hig/L	Oecu 203			
Aquatic chronic	toxicity						
ffective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Daphnia magna (Big water flea)	21d	0.004 mg/L	Oecd 211			
`hranic (lang to							
Effective dose	erm) fish toxicity	Toot down !!	Value	Notes	Madb - J	Caa	Considerations
	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Oncorhynchus mykiss (Rainbow trout)	28d ,	0.098 mg/L	Oecd 215			
Chronic (long-te	erm) toxicity to alg	ae and cyanobac	teria				
Effective dose		Test duration		Notes	Method	Source	Considerations
NOEC	Pseudokirchnerie		0.0012 mg/L				
	subcapitata		5.5012 IIIg/ L	0205201			
mnact on course	ge treatment plant	e					
			V-I	N-4	Madaal	C	Ci-li
ffective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50		3h	7.92 mg/L	OECD 209			
EC20							
-020		3h	0.97 mg/L	OECD 209			
	zol-3(2H)-one - CA		0.97 mg/L	OECD 209			
,2-benzisothia	zol-3(2H)-one - CA m) toxicity to alga	AS: 2634-33-5		OECD 209			
1,2-benzisothia: Acute (short-ter	m) toxicity to alga	AS: 2634-33-5		OECD 209  Notes	Method	Source	Considerations
1,2-benzisothia: Acute (short-ter Effective dose	m) toxicity to alga	AS: 2634-33-5 e and cyanobact	eria		Method	Source	Considerations
1,2-benzisothia: Acute (short-ter Effective dose EC50	rm) toxicity to alga Species Selenastrum capricornutum	AS: 2634-33-5 e and cyanobact Test duration 72h	eria <b>Value</b> 0.11 mg/L	Notes OECD 201	Method	Source	Considerations
I,2-benzisothia: Acute (short-ter Effective dose EC50	rm) toxicity to alga <b>Species</b> Selenastrum	AS: 2634-33-5 e and cyanobact Test duration	eria <b>Value</b>	Notes	Method	Source	Considerations
1,2-benzisothia: Acute (short-ter Effective dose	Species Selenastrum capricornutum Selenastrum capricornutum	AS: 2634-33-5 e and cyanobact Test duration 72h	eria <b>Value</b> 0.11 mg/L	Notes OECD 201	Method	Source	Considerations
1,2-benzisothia: Acute (short-ter Effective dose EC50	Species Selenastrum capricornutum Selenastrum capricornutum Selenastrum capricornutum	AS: 2634-33-5 e and cyanobact Test duration 72h	eria <b>Value</b> 0.11 mg/L	Notes OECD 201	Method	Source	Considerations
,2-benzisothia: Acute (short-ter Effective dose EC50 EC50 Aquatic acute to	Species Selenastrum capricornutum Selenastrum capricornutum oxicity Species	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration	eria Value 0.11 mg/L 0.11 mg/L Value	Notes OECD 201 OECD 201 Notes			
.,2-benzisothia: Acute (short-ter Effective dose EC50 EC50 Aquatic acute to Effective dose EC50	Species Selenastrum capricornutum Selenastrum capricornutum oxicity Species Daphnia magna (Big water flea)	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration	eria Value 0.11 mg/L 0.11 mg/L	Notes OECD 201 OECD 201			
.,2-benzisothia: Acute (short-ter Effective dose EC50 Aquatic acute to Effective dose EC50 Acute (short-ter	Species Selenastrum capricornutum Selenastrum capricornutum Selenastrum capricornutum oxicity Species Daphnia magna (Big water flea)	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L	Notes OECD 201 OECD 201 Notes OECD 202	Method	Source	Considerations
.,2-benzisothia: Acute (short-ter Effective dose EC50 Aquatic acute to Effective dose EC50 Acute (short-ter	Species Selenastrum capricornutum Selenastrum capricornutum Selenastrum capricornutum oxicity Species Daphnia magna (Big water flea)	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration	eria Value 0.11 mg/L 0.11 mg/L Value	Notes OECD 201 OECD 201 Notes			
2,2-benzisothia: Acute (short-ter Effective dose EC50 Aquatic acute to Effective dose EC50 Acute (short-ter Effective dose	rm) toxicity to algain species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Sicity  Species  Daphnia magna (Big water flea)  rm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L	Notes OECD 201 OECD 201 Notes OECD 202	Method	Source	Considerations
2,2-benzisothia: Acute (short-ter Effective dose EC50 Aquatic acute to Effective dose EC50 Acute (short-ter Effective dose EC50	rm) toxicity to algain species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Since species  Daphnia magna (Big water flea)  rm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L	Notes OECD 201 OECD 201 Notes OECD 202	Method	Source	Considerations
1,2-benzisothia: Acute (short-ter Effective dose EC50 Aquatic acute to Effective dose EC50 Acute (short-ter Effective dose LC50 Aquatic chronic	rm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  oxicity  Species  Daphnia magna (Big water flea)  rm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  toxicity	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L  Value  2.2 mg/L	Notes OECD 201 OECD 201  Notes OECD 202  Notes Oecd 203	Method Method	Source	Considerations  Considerations
Acute (short-terescond)	rm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  oxicity  Species  Daphnia magna (Big water flea)  rm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  toxicity	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L	Notes OECD 201 OECD 201 Notes OECD 202	Method	Source	Considerations
Acute (short-terescond)	rm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  oxicity  Species  Daphnia magna (Big water flea)  rm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  toxicity	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h Test duration	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L  Value  2.2 mg/L	Notes OECD 201 OECD 201  Notes OECD 202  Notes Oecd 203	Method Method	Source	Considerations  Considerations
Acute (short-terestive dose comments)	sm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Oxicity  Species  Daphnia magna (Big water flea) rm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  toxicity  Species  Daphnia magna	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h Test duration	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L  Value  2.2 mg/L	Notes OECD 201 OECD 201  Notes OECD 202  Notes Oecd 203	Method Method	Source	Considerations  Considerations
,2-benzisothia: ccute (short-ter iffective dose iC50 iC50 iC50 iC50 iC50 iC50 iC50 iC50	sm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Oxicity  Species  Daphnia magna (Big water flea)  Oncorhynchus mykiss (Rainbow trout)  toxicity  Species  Daphnia magna (Big water flea)  Concordination of the concordi	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h Test duration 21d	value 2.2 mg/L  Value 1.2 mg/L	Notes OECD 201  OECD 201  Notes OECD 202  Notes Oecd 203	Method  Method	Source Source	Considerations  Considerations  Considerations
,2-benzisothia: ,cute (short-ter iffective dose iC50  iC50  iquatic acute to iffective dose iC50  cute (short-ter iffective dose iC50  iquatic chronic iffective dose iC50  iquatic chronic iffective dose iffective dose iffective dose iffective dose iffective dose iffective dose	sm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Oxicity  Species  Daphnia magna (Big water flea)  Oncorhynchus mykiss (Rainbow trout)  toxicity  Species  Daphnia magna (Big water flea)  erm) fish toxicity  Species  Daphnia magna (Big water flea)  erm) fish toxicity  Species	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h Test duration 21d Test duration	Value  2.2 mg/L  Value  Value  Value  Value  Value  Value  Value  Value	Notes OECD 201 OECD 201  Notes OECD 202  Notes Oecd 203  Notes Oecd 211	Method Method	Source	Considerations  Considerations
,2-benzisothia: ccute (short-ter effective dose eC50 eC50 equatic acute to effective dose eC50 ecute (short-ter effective dose eC50 equatic chronic effective dose eC50 equatic chronic effective dose	sm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Oxicity  Species  Daphnia magna (Big water flea)  Oncorhynchus mykiss (Rainbow trout)  toxicity  Species  Daphnia magna (Big water flea)  erm) fish toxicity  Species  Daphnia magna (Big water flea)  erm) fish toxicity  Species	S: 2634-33-5 e and cyanobact Test duration 72h 72h Test duration 48h Test duration 96h Test duration 21d Test duration	value 2.2 mg/L  Value 1.2 mg/L	Notes OECD 201  OECD 201  Notes OECD 202  Notes Oecd 203	Method  Method	Source Source	Considerations  Considerations  Considerations
Acute (short-tereffective dose EC50 Acute (short-tereffective dose NOEC	sm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Oxicity  Species  Daphnia magna (Big water flea)  Toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  toxicity  Species  Daphnia magna (Big water flea)  erm) fish toxicity  Species  Oaphnia magna (Big water flea)  erm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)	S: 2634-33-5 e and cyanobact Test duration 72h 72h  Test duration 48h  Test duration 96h  Test duration 21d  Test duration	value 2.2 mg/L  Value 0.11 mg/L  Value 3.27 mg/L  Value 2.2 mg/L  Value 1.2 mg/L	Notes OECD 201 OECD 201  Notes OECD 202  Notes Oecd 203  Notes Oecd 211	Method  Method	Source Source	Considerations  Considerations  Considerations
1,2-benzisothia: Acute (short-ter Effective dose EC50  Aquatic acute to Effective dose EC50  Acute (short-ter Effective dose LC50  Aquatic chronic Effective dose NOEC  Chronic (long-ter Effective dose NOEC	sm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Oxicity  Species  Daphnia magna (Big water flea)  Toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  toxicity  Species  Daphnia magna (Big water flea)  erm) fish toxicity  Species  Oaphnia magna (Big water flea)  erm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  erm) toxicity to alg	S: 2634-33-5 e and cyanobact Test duration 72h 72h  Test duration 48h  Test duration 96h  Test duration 21d  Test duration	value 2.2 mg/L  Value 0.11 mg/L  Value 3.27 mg/L  Value 2.2 mg/L  Value 1.2 mg/L	Notes OECD 201 OECD 201  Notes OECD 202  Notes Oecd 203  Notes Oecd 211	Method  Method	Source Source	Considerations  Considerations  Considerations
Acute (short-tereffective dose EC50 Acute (short-tereffective dose Effective dose NOEC Acute (long-tereffective dose NOEC Chronic (long-tereffective dose NOEC	sm) toxicity to algar  Species  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Selenastrum capricornutum  Oxicity  Species  Daphnia magna (Big water flea)  Toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  toxicity  Species  Daphnia magna (Big water flea)  erm) fish toxicity  Species  Oaphnia magna (Big water flea)  erm) fish toxicity  Species  Oncorhynchus mykiss (Rainbow trout)  erm) toxicity to alg	S: 2634-33-5 e and cyanobact Test duration 72h 72h  Test duration 48h  Test duration 96h  Test duration 21d  Test duration 28d  A ae and cyanobac	eria  Value  0.11 mg/L  0.11 mg/L  Value  3.27 mg/L  Value  2.2 mg/L  Value  1.2 mg/L  Value  0.21 mg/L	Notes OECD 201 OECD 201  Notes OECD 202  Notes Oecd 203  Notes Oecd 211  Notes Oecd 215	Method  Method  Method	Source Source Source	Considerations  Considerations  Considerations  Considerations



## **GRIP 025**

Impact on sewage treatment plants

Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50		3h	13.0 mg/L	OECD 209			
EC20		3h	3.3 mg/L	OECD 209			

### 12.2 Persistence and degradability

#### <u>Mixtures</u>

This information is not available.

#### Substances

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

Inoculum:	Assessment/classification	Test duration	parameter	Value	Method	Remark
Poorly biodegradable.						RAC opinion
1,2-benzisothiazol-3(2H	)-one - CAS: 2634-33-5					
Inoculum:	Assessment/classification	Test duration	parameter	Value	Method	Remark
Poorly biodegradable.						RAC opinion

### 12.3 Bioaccumulative potential

#### <u>Mixtures</u>

This information is not available.

#### Substances

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

Assessment/classification	Test type	Test duration	Species:	Value	Method	Remark
Does not accumulate in organisms.	Bioconcentration factor (BCF)			3.16		calculated
Does not accumulate in organisms.	Log KOW			<0.71 (n- octanol/water)	HPLC	

1,2 Benzisotniazor o(211) one GAS. 2004 00 5						
Assessment/classification	Test type	Test duration	Species:	Value	Method	Remark
Does not accumulate in organisms.	Bioconcentration factor (BCF)		Fish	6.95		Oecd 305
	Partition coefficient n- octanol/water (log value)			0.7	HPLC	Oecd 117

### 12.4 Mobility in soil

#### **Mixtures**

This information is not available.

#### Substances

This information is not available.

## 12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

### 12.6 Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

### 12.7 Other adverse effects

This information is not available.

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

\*\*\*NO English translation\*\*\*



Revision date: 26-09-2025 Print date: 26-09-2025 Version: 6

### **GRIP 025**

#### 13.1.1 Disposal operations

Non-contaminated packages must be recycled or disposed of.

Dispose of waste according to applicable legislation.

#### 13.1.2 Other disposal recommendations

Recycle according to official regulations.

### SECTION 14: Transport information

### 14.1 UN number

All transport carriers No dangerous good in sense of these transport regulations.

#### 14.2 UN proper shipping name

All transport carriers No dangerous good in sense of these transport regulations.

#### 14.3 Transport hazard class(es)

All transport carriers No dangerous good in sense of these transport regulations.

#### 14.4 Packing group

All transport carriers No dangerous good in sense of these transport regulations.

### 14.5 Environmental hazards

All transport carriers No dangerous good in sense of these transport regulations.

#### 14.6 Special precautions for user

All transport carriers No dangerous good in sense of these transport regulations.

### 14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

#### SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

### **EU** legislation

Regulation (EC) No 1907/2006 and subsequent amendments

Regulation (EC) No 1272/2008 (CLP) and subsequent amendments

Latest amendment

Commission delegated Regulation (EU) 2024/2865

Regulation (EU) No. 2020/878

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

Not relevant

#### Other regulations (EU)

This information is not available.

#### Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Mixtures

Use restriction according to REACH annex XVII, no.: none

#### Other relevant ingredients

Use restriction according to REACH annex XVII, no.: 75

1,2-benzisothiazol-3(2H)-one (CAS: 2634-33-5; EINECS: 220-120-9; INDEX: 613-088-00-6)

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) (CAS: 55965-84-9; INDEX: 613-167-00-5)

Use restriction according to REACH annex XVII, no.: 3

1,2-benzisothiazol-3(2H)-one (CAS: 2634-33-5; EINECS: 220-120-9; INDEX: 613-088-00-6)



## **GRIP 025**

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer

Regulation (EU) 2019/1148 (marketing and use of explosives precursors) not relevant

 $\underline{\text{Directive 2012/18/EU} \ on the control of major-accident hazards involving dangerous substances} \ [\underline{\text{Seveso-III-Directive}}]$ 

Hazard categories: This product is not classified according to Directive 2012/18/EU.

National regulations

This information is not available.

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

Indication of changes

This safety data sheet has been completely updated

Abbreviations and acronyms

Abbreviations and acronyms	Description	
ACGIH	American Conference of Governmental Industrial Hygienists	
ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways	
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road	
AOX	Adsorbable Organic halogen compounds	
ATE	Acute Toxicity Estimate	
ATEmix	Acute Toxicity Estimate for Mixtures	
BCF	Bioconcentration Factor	
BLV	Biological Limit Value	
BOD	Biochemical (Biological) Oxygen Demand	
bw	body weight	
CAS	Chemical Abstracts Service	
СК	Peak concentration	
CLP	Classification, Labelling and Packaging	
CMR	Carcinogenic, Mutagenic, toxic for Reproduction	
CO2	Carbon dioxide	
COD	Chemical Oxygen Demand	
COSHH	Control of Substances Hazardous to Health	
CSA	Chemical Safety Assessment	
CSR	Chemical Safety Report	
DGR	Dangerous Goods Regulations (IATA)	
DMEL	Derived Minimal Effect Level	
DNEL	Derived No-Effect Level	
DOC	Dissolved Organic Carbon	
DU	Downstream User	
EbC50	Effective Concentration 50 % reduction in biomass	
EC	European Community	
EC10	Effective Concentration 10%	
EC50	Effective Concentration 50%	
ECHA	European Chemicals Agency	
EINECS	European Inventory of Existing Commercial Chemical Substances	
EL50	Effective Loading 50 %	
ELINCS	European Inventory of Existing Commercial Chemical Substances	
EmS	emergency procedures	
EN	European Standard	
ErC10	Effective Concentration 10 % reduction in growth rate	
ErC50	Effective Concentration 50 % reduction in growth rate	
ES	Exposure Scenario	
EU	European Union	



## **GRIP 025**

EWC	European Waste Catalogue	
GHS	Globally Harmonized System of Classification and Labelling of Chemicals	
IATA	International Air Transport Association	
IC50	Inhibition Concentration 50 %	
ICAO	International Civil Aviation Organization	
IMDG	International Maritime Dangerous Goods	
IMO	International Maritime Organization	
INCI	International nomenclature of cosmetic ingredients	
ISO	International Organization for Standardization	
IUPAC	International Union of Pure and Applied Chemistry	
КОС	Partition coefficient n-octanol/water	
LC50	Lethal (fatal) Concentration 50%	
LD50	Lethal (fatal) Dose 50%	
LDL0	Lowest Lethal (fatal) Dose	
LL50	Lethal Loading 50%	
LOAEC	Lowest Observed Adverse Effect Concentration	
LOAEL	Lowest Observed Adverse Effect Level	
LOEC	Lowest Observable Effect Concentration	
LOEL	Lowest Observable Effect Concentration  Lowest Observable Effect Level	
M-factor	Multiplication factor	
NOAEC	no observed adverse effect concentration	
NOAEL	No Observed Adverse Effect Level	
NOEC	No Observed Effect Concentration	
NOEL	No Observed Effect Level	
NOELR	No Observed Effect Level	
OECD	Organisation for Economic Cooperation and Development	
OEL	Occupational exposure limit (EU)	
PBT	persistent and bioaccumulative and toxic	
PEC	Predicted Environmental Concentration	
PEL	Permissible Exposure Limit	
PNEC	Predicted No Effect Concentration	
PROC	Process Category	
REACH	Registration, Evaluation and Authorization of Chemicals	
RID	Dangerous goods regulations for transport by rail	
SCL	Specific concentration limit	
STEL	Short-term Exposure Limit	
STOT	Specific Target Organ Toxicity	
STP	sewage treatment plant	
SU	use category	
SVHC	substance of very high concern	
ThCO2	Theoretical carbon dioxide amount	
TLV	Threshold Limit Value	
TWA	Eight-hour time-weighted average exposure limit value	
UN	United Nations	
VOC	Volatile organic compounds	

#### Key literature references and sources for data

Regulation (EC) No. 1272/2008 on the classification, labelling, and packaging (Classification, Labelling and Packaging) of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/UE.

Guidance on the compilation of safety data sheets by ECHA

European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods Code (IMDG)

IATA Dangerous Goods Regulations (IATA DGR)

The ED Lists (List I: Substances identified as endocrine disruptors at EU level, List II: Substances under evaluation for endocrine disruption under an EU legislation, List III: Substances considered, by the evaluating National Authority, to have endocrine disrupting properties)

## List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Classification according to Regulation (EC) No 1272/2008 [CLP]

List of relevant hazard statements and/or precautionary statements from sections 2 to 15



## **GRIP 025**

EUH210	Safety data sheet available on request.	
oral Acute Tox. 3, H301	Toxic if swallowed.	
dermal Acute Tox. 2, H310	Fatal in contact with skin.	
inhalation Acute Tox. 2, H330	Fatal if inhaled.	
Skin Corr. 1C, H314	Causes severe skin burns and eye damage.	
Eye Dam. 1, H318	Causes serious eye damage.	
Skin Sens. 1, H317	May cause an allergic skin reaction.	
Aquatic Acute 1, H400	Very toxic to aquatic life.	
Aquatic Chronic 1, H410	Very toxic to aquatic life with long lasting effects.	
oral Acute Tox. 4, H302	Harmful if swallowed.	
Skin Irrit. 2, H315	Causes skin irritation.	
Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]		
Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure	

Disclaimer: The information in this safety data sheet (SDS) applies only to the specified product, unless otherwise specified, for the mixture of this product and other substances, etc. Circumstances do not apply. This SDS only provides information on product safety for those who have received proper professional training. Users of this SDS must make independent judgments on the applicability of this SDS under special conditions of use. In special occasions, the writer of this SDS will not be responsible for any damage caused by using this SDS.