



Safety Data Sheet dated 27/10/2022, version 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking 1.1. Product identifier Mixture identification: Trade name: INOXID Trade code: 198 1.2. Relevant identified uses of the substance or mixture and uses advised against Recommended use: Coating material 1.3. Details of the supplier of the safety data sheet Company: SAN MARCO GROUP S.P.A. Via Alta 10 30020 MARCON (VE) - Italy -Tel.+39 041 4569322 Fax. +39 041 5950153 Competent person responsible for the safety data sheet: sicurezza.prodotti@sanmarcogroup.it 1.4. Emergency telephone number Technical information: SAN MARCO GROUP SPA +39 041 4569322 (Monday - Friday 9.00-12.30; 13.30-17.00)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

EC regulation criteria 1272/2008 (CLP)

Warning, Flam. Liq. 3, Flammable liquid and vapour.

- Aquatic Chronic 2, Toxic to aquatic life with long lasting effects.
- Adverse physicochemical, human health and environmental effects:
 - No other hazards
- 2.2. Label elements

Hazard pictograms:



Warning Hazard statements:

H226 Flammable liquid and vapour.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statements:

P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P501 Dispose of contents / container in accordance with national regulations.

Special Provisions:

None

Special provisions according to Annex XVII of REACH and subsequent amendments: None

2.3. Other hazards

198/13

Page n. 1 of 10



No PBT, vPvB or endocrine disruptor substances present in concentration >= 0.1% Other Hazards:

No other hazards

SECTION 3: Composition/information on ingredients

3.1. Substances

- N.A.
- 3.2. Mixtures

Hazardous components within the meaning of the CLP regulation and related classification:

Qty	Name	ldent. Numb	er	Classification
>= 15% - < 20%	Hydrocarbons, C9- C11, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC: REACH No.:	919-857-5 01- 2119463258 -33-XXXX	
>= 1% - < 3%	trizinc bis(orthophosphate)	Index number: CAS: EC: REACH No.:	7779-90-0 231-944-3	 4.1/A1 Aquatic Acute 1 H400 M=1. 4.1/C1 Aquatic Chronic 1 H410 M=1.
>= 0.1% - < 0.25%	ethanol; ethyl alcohol	Index number: CAS: EC: REACH No.:	64-17-5 200-578-6	♦ 2.6/2 Flam. Liq. 2 H225
>= 0. 00015% - < 0. 0015%	ethyl methyl ketone	Index number: CAS: EC: REACH No.:	78-93-3 201-159-0	 ♦ 2.6/2 Flam. Liq. 2 H225 ♦ 3.3/2 Eye Irrit. 2 H319 ♦ 3.8/3 STOT SE 3 H336 EUH066

SECTION 4: First aid measures

4.1. Description of first aid measures

In case of skin contact:

Wash with plenty of water and soap.

In case of eyes contact:

In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of Ingestion:

Do not under any circumstances induce vomiting. OBTAIN A MEDICAL EXAMINATION IMMEDIATELY.

In case of Inhalation:

Remove casualty to fresh air and keep warm and at rest.

- 4.2. Most important symptoms and effects, both acute and delayed None
- 4.3. Indication of any immediate medical attention and special treatment needed

198/13

Page n. 2 of 10



Treatment: None

SECTION 5: Firefighting measures

- 5.1. Extinguishing media
 - Suitable extinguishing media: CO2 or Dry chemical fire extinguisher. Extinguishing media which must not be used for safety reasons: None in particular.
- 5.2. Special hazards arising from the substance or mixture Do not inhale explosion and combustion gases. Burning produces heavy smoke.
- 5.3. Advice for firefighters
 Use suitable breathing apparatus .
 Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
 Move undamaged containers from immediate hazard area if it can be done safely.

SECTION 6: Accidental release measures

- 6.1. Personal precautions, protective equipment and emergency procedures Wear personal protection equipment. Remove all sources of ignition. Remove persons to safety. See protective measures under point 7 and 8.
 6.2. Environmental precautions Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.
 - Retain contaminated washing water and dispose it. In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.
 - Suitable material for taking up: absorbing material, organic, sand
- 6.3. Methods and material for containment and cleaning up
- Wash with plenty of water. 6.4. Reference to other sections

See also section 8 and 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid contact with skin and eyes, inhalation of vapours and mists.

Don't use empty container before they have been cleaned.

Before making transfer operations, assure that there aren't any incompatible material residuals in the containers.

See also section 8 for recommended protective equipment.

Advice on general occupational hygiene:

Contamined clothing should be changed before entering eating areas.

Do not eat or drink while working.

- 7.2. Conditions for safe storage, including any incompatibilities
 - Store at below 20 °C. Keep away from unguarded flame and heat sources. Avoid direct exposure to sunlight.
 - Keep away from unguarded flame, sparks, and heat sources. Avoid direct exposure to sunlight. Keep away from food, drink and feed.
 - Incompatible materials:
 - None in particular.

Instructions as regards storage premises:

- Cool and adequately ventilated.
- 7.3. Specific end use(s) None in particular

198/13 Page n. 3 of 10



Safety Data Sheet

SECTION 8: Exposure controls/personal protection 8.1. Control parameters Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics - OEL Type: ACGIH - TWA(8h): 1200 mg/m3, 197 ppm ethanol; ethyl alcohol - CAS: 64-17-5 - OEL Type: ACGIH - STEL: 1000 ppm - Notes: A3 - URT irr ethyl methyl ketone - CAS: 78-93-3 - OEL Type: EU - TWA(8h): 600 mg/m3, 200 ppm - STEL: 900 mg/m3, 300 ppm - OEL Type: ACGIH - TWA(8h): 200 ppm - STEL: 300 ppm - Notes: BEI - URT irr, CNS and PNS impair **DNEL Exposure Limit Values** Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics Consumer: 300 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 1.5 mg/l - Consumer: 0.9 mg/l - Exposure: Human Inhalation -Frequency: Long Term, systemic effects Worker Professional: 300 - Consumer: 300 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects trizinc bis(orthophosphate) - CAS: 7779-90-0 Consumer: 0.83 mg/kg - Exposure: Human Oral - Frequency: Long Term, systemic effects Worker Professional: 83 mg/kg - Consumer: 83 mg/kg - Exposure: Human Dermal -Frequency: Long Term, systemic effects Worker Professional: 5 mg/m3 - Consumer: 2.5 mg/m3 - Exposure: Human Inhalation -Frequency: Long Term, systemic effects **PNEC Exposure Limit Values** trizinc bis(orthophosphate) - CAS: 7779-90-0 Target: Fresh Water - Value: 20.6 µg/l Target: Marine water - Value: 6.1 µg/l Target: Freshwater sediments - Value: 117.8 mg/kg Target: Marine water sediments - Value: 56.5 mg/kg Target: Soil (agricultural) - Value: 35.6 mg/kg Target: Microorganisms in sewage treatments - Value: 100 µg/l 8.2. Exposure controls Eye protection: Not needed for normal use. Anyway, operate according good working practices. Protection for skin: No special precaution must be adopted for normal use. Protection for hands: Not needed for normal use. Respiratory protection: Not needed for normal use. Thermal Hazards: None Environmental exposure controls: None Appropriate engineering controls: None

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Properties	Value	Method:	Notes
Physical state:	Liquid		
Colour:	various		



Odour:	characteristic of solvent		
Melting point/freezing point:	N.A.		
Boiling point or initial boiling point and boiling range:	N.A.		
Flammability:	Flam. Liq. 3, H226		
Lower and upper explosion limit:	N.A.		
Flash point:	>23 ° C		
Auto-ignition temperature:	N.A.		
Decomposition temperature:	N.A.		
pH:	N.A.		
Kinematic viscosity:	> 20,5 mm2/ sec (40 °C)		
Solubility in water:			
Solubility in oil:	N.A.		
Partition coefficient n- octanol/water (log value):	N.A.		
Vapour pressure:	N.A.		
Density and/or relative density:	1.55 kg/l		
Relative vapour density:	N.A.		
Particle characteristics:			
Particle size:	N.A.		

9.2. Other information

Properties	Value	Method:	Notes
Viscosity:	>20.5 mm2/s		

SECTION 10: Stability and reactivity 10.1. Reactivity Stable under normal conditions 10.2. Chemical stability

198/13

Page n. 5 of 10



Stable under normal conditions 10.3. Possibility of hazardous reactions None 10.4. Conditions to avoid Stable under normal conditions. 10.5. Incompatible materials Avoid contact with combustible materials. The product could catch fire. 10.6. Hazardous decomposition products None. **SECTION 11: Toxicological information** 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 Toxicological information of the product: INOXID a) acute toxicity Not classified No data available for the product b) skin corrosion/irritation Not classified No data available for the product c) serious eye damage/irritation Not classified No data available for the product d) respiratory or skin sensitisation Not classified No data available for the product e) germ cell mutagenicity Not classified No data available for the product f) carcinogenicity Not classified No data available for the product g) reproductive toxicity Not classified No data available for the product h) STOT-single exposure Not classified No data available for the product i) STOT-repeated exposure Not classified No data available for the product i) aspiration hazard Not classified No data available for the product Toxicological information of the main substances found in the product: Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg Test: LD50 - Route: Skin - Species: Rabbit > 5000 mg/kg Test: LC50 - Route: Inhalation - Species: Rat > 5000 mg/m3 trizinc bis(orthophosphate) - CAS: 7779-90-0 a) acute toxicity: Test: LD50 - Route: Oral - Species: Rat > 5000 mg/kg 11.2. Information on other hazards Endocrine disrupting properties: No endocrine disruptor substances present in concentration >= 0.1%

198/13 Page n. 6 of 10



SECTION 12: Ecological information

12.1. Toxicity

Adopt good working practices, so that the product is not released into the environment. INOXID

The product is classified: Aquatic Chronic 2 - H411

Hydrocarbons, C9-C11, n-alkanes, isoalkanes, cyclics, <2% aromatics

a) Aquatic acute toxicity:

Endpoint: LC50 - Species: Fish > 1000 mg/l - Duration h: 96

Endpoint: EC50 - Species: Algae > 1000 mg/l - Duration h: 72 Endpoint: EC50 - Species: Daphnia 1000 mg/l - Duration h: 48

- trizinc bis(orthophosphate) CAS: 7779-90-0
- 12.2. Persistence and degradability

N.A.

12.3. Bioaccumulative potential

N.A.

- 12.4. Mobility in soil N.A.
- 12.5. Results of PBT and vPvB assessment vPvB Substances: None - PBT Substances: None
- 12.6. Endocrine disrupting properties
 - No endocrine disruptor substances present in concentration >= 0.1%
- 12.7. Other adverse effects None

SECTION 13: Disposal considerations

13.1. Waste treatment methods Recover, if possible. Send to authorised disposal plants or for incineration under controlled conditions. In so doing, comply with the local and national regulations currently in force.

SECTION 14: Transport information	
14.1. UN number or ID number	
ADR-UN number:	1263
IATA-Un number:	1263
IMDG-Un number:	1263
14.2. UN proper shipping name	
ADR-Shipping Name:	PAINT or PAINT RELATED MATERIAL
IATA-Technical name:	PAINT or PAINT RELATED MATERIAL
IMDG-Technical name:	PAINT or PAINT RELATED MATERIAL
14.3. Transport hazard class(es)	
ADR-Class:	3
ADR-Label:	3
ADR - Hazard identification nur	
IATA-Class:	3
IATA-Label:	3 3
IMDG-Class:	3
14.4. Packing group	
ADR-Packing Group:	
IATA-Packing group:	
IMDG-Packing group:	III
14.5. Environmental hazards	
ADR-Enviromental Pollutant:	Yes
Marine pollutant:	Marine pollutant
Most important toxic componer	t: trizinc bis(orthophosphate)
14.6. Special precautions for user	
ADR-Transport category (Tunn	el restriction code): (D/E)

198/13

Page n. 7 of 10



IATA-Passenger Aircraft: 355

IATA-Cargo Aircraft: 366 14.7. Maritime transport in bulk according to IMO instruments N.A.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture Dir. 98/24/EC (Risks related to chemical agents at work) Dir. 2000/39/EC (Occupational exposure limit values) Regulation (EC) n. 1907/2006 (REACH) Regulation (EC) n. 1272/2008 (CLP) Regulation (EC) n. 790/2009 (ATP 1 CLP) and (EU) n. 758/2013 Regulation (EU) n. 2020/878 Regulation (EU) n. 286/2011 (ATP 2 CLP) Regulation (EU) n. 618/2012 (ATP 3 CLP) Regulation (EU) n. 487/2013 (ATP 4 CLP) Regulation (EU) n. 944/2013 (ATP 5 CLP) Regulation (EU) n. 605/2014 (ATP 6 CLP) Regulation (EU) n. 2015/1221 (ATP 7 CLP) Regulation (EU) n. 2016/918 (ATP 8 CLP) Regulation (EU) n. 2016/1179 (ATP 9 CLP) Regulation (EU) n. 2017/776 (ATP 10 CLP) Regulation (EU) n. 2018/669 (ATP 11 CLP) Regulation (EU) n. 2018/1480 (ATP 13 CLP) Regulation (EU) n. 2019/521 (ATP 12 CLP) Regulation (EU) n. 2020/217 (ATP 14 CLP) Regulation (EU) n. 2020/1182 (ATP 15 CLP) Regulation (EU) n. 2021/643 (ATP 16 CLP) Restrictions related to the product or the substances contained according to Annex XVII Regulation (EC) 1907/2006 (REACH) and subsequent modifications: Restrictions related to the product: **Restriction 3 Restriction 40** Restrictions related to the substances contained: **Restriction 75** Where applicable, refer to the following regulatory provisions : Directive 2012/18/EU (Seveso III) Regulation (EC) nr 648/2004 (detergents). Dir. 2004/42/EC (VOC directive) Provisions related to directive EU 2012/18 (Seveso III): Seveso III category according to Annex 1, part 1 Product belongs to category: P5c, E2 15.2. Chemical safety assessment No Chemical Safety Assessment has been carried out for the mixture.

SECTION 16: Other information

Full text of phrases referred to in Section 3: H226 Flammable liquid and vapour. H304 May be fatal if swallowed and enters airways. H336 May cause drowsiness or dizziness. EUH066 Repeated exposure may cause skin dryness or cracking. H400 Very toxic to aquatic life. H410 Very toxic to aquatic life with long lasting effects. H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation.

198/13 Page n. 8 of 10



Hazard class and hazard category	Code	Description
Flam. Liq. 2	2.6/2	Flammable liquid, Category 2
Flam. Liq. 3	2.6/3	Flammable liquid, Category 3
Asp. Tox. 1	3.10/1	Aspiration hazard, Category 1
Eye Irrit. 2	3.3/2	Eye irritation, Category 2
STOT SE 3	3.8/3	Specific target organ toxicity - single exposure, Category 3
Aquatic Acute 1	4.1/A1	Acute aquatic hazard, category 1
Aquatic Chronic 1	4.1/C1	Chronic (long term) aquatic hazard, category 1
Aquatic Chronic 2	4.1/C2	Chronic (long term) aquatic hazard, category 2

This safety data sheet has been completely updated in compliance to Regulation 2020/878. Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Classification according to Regulation (EC) Nr. 1272/2008	Classification procedure
Flam. Liq. 3, H226	On basis of test data
Aquatic Chronic 2, H411	Calculation method

This document was prepared by a competent person who has received appropriate training. Main bibliographic sources:

ECDIN - Environmental Chemicals Data and Information Network - Joint Research Centre, Commission of the European Communities

SAX's DANGEROUS PROPERTIES OF INDUSTRIAL MATERIALS - Eight Edition - Van Nostrand Reinold

The information contained herein is based on our state of knowledge at the above-specified date. It refers solely to the product indicated and constitutes no guarantee of particular quality.

It is the duty of the user to ensure that this information is appropriate and complete with respect to the specific use intended.

This MSDS cancels and replaces any preceding release.

ADR:	European Agreement concerning the International Carriage of Dangerous Goods by Road.
ATE:	Acute Toxicity Estimate
ATEmix:	Acute toxicity Estimate (Mixtures)
CAS:	Chemical Abstracts Service (division of the American Chemical Society).
CLP:	Classification, Labeling, Packaging.
DNEL:	Derived No Effect Level.
EINECS:	European Inventory of Existing Commercial Chemical Substances.
GefStoffVO:	Ordinance on Hazardous Substances, Germany.
GHS:	Globally Harmonized System of Classification and Labeling of Chemicals.

198/13

Page n. 9 of 10



iata: Iata-dgr:	International Air Transport Association. Dangerous Goods Regulation by the "International Air Transport Association" (IATA).
ICAO:	International Civil Aviation Organization.
ICAO-TI:	Technical Instructions by the "International Civil Aviation Organization" (ICAO).
IMDG:	International Maritime Code for Dangerous Goods.
INCI:	International Nomenclature of Cosmetic Ingredients.
KSt:	Explosion coefficient.
LC50:	Lethal concentration, for 50 percent of test population.
LD50:	Lethal dose, for 50 percent of test population.
PNEC:	Predicted No Effect Concentration.
RID:	Regulation Concerning the International Transport of Dangerous Goods by Rail.
STEL:	Short Term Exposure limit.
STOT:	Specific Target Organ Toxicity.
TLV:	Threshold Limiting Value.
TWA:	Time-weighted average
WGK:	German Water Hazard Class.