

Revision date: 29-09-2025 Print date: 29-09-2025 Version: 11

WASSERLAC AL QUARZO ANTIALGA

Safety Data Sheet according to Regulation (EC) No. 1907/2006 (REACH)

Revision date: 29-09-2025 Version: 11 Print date: 29-09-2025

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product identifier: 431

Name: WASSERLAC AL QUARZO ANTIALGA

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Coating material

1.3 Details of the supplier of the safety data sheet

Supplier: San Marco Group Spa

Address: Via Alta, 10

Postal code/City: 30020 - Marcon (VE)

Country: Italy

Telephone: +39 041 4569322

E-mail (competent person): sicurezza.prodotti@sanmarcogroup.it

1.4 Emergency telephone number

Emergency phone number

Malta: Emergency number: 112 (24/7) Luxembourg: (+352) 8002 5500 Free telephone number with a 24/7 access

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Aquatic Chronic 3, H412

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms

This information is not available.

Signal word: This information is not available.

H412 - Harmful to aquatic life with long lasting effects.

Precautionary statements

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P501 - Dispose of contents / container in accordance with national regulations.

EUH208 - Contains 1,2-benzisothiazol-3(2H)-one; 4,5-dichloro-2-octyl-2H-isothiazol-3-one; reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one isothiazol-3-one (3:1); 2-octyl-2H-isothiazol-3-one. May produce an allergic reaction.

2.3 Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

SECTION 3: Composition/information on ingredients

3.1 Substances



WASSERLAC AL QUARZO ANTIALGA

Not applicable

3.2	Mixt	tures
-----	------	-------

Name	Product identifier	Concentration	Classification according to Regulation (EC) No 1272/2008 [CLP]	SCL, M-factor, ATE
1,2-benzisothiazol-3(2H)-one	CAS No.: 2634-33-5 EC No.: 220-120-9 Index No.: 613-088-00-6	0.01% <= C < 0.036%	'	
terbutryn	CAS No.: 886-50-0 EC No.: 212-950-5	0.01% <= C < 0.036%	H317 / Aquatic Acute 1, H400 / Aquatic	Skin Sens. 1B ; H317: C >= 3.% / ATE (oral):500.0 mg/kg bw / M (acute) =100 / M (chronic) =100
4,5-dichloro-2-octyl-2H- isothiazol-3-one	CAS No. : 64359-81-5 EC No.: 264-843-8	0.00015% <= C < 0.0015%	Tox. 2, H330 / Skin Corr. 1, H314 / Eye Dam. 1, H318 / Skin Sens. 1A, H317 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410 / EUH071, /	Skin Irrit. 2; H315: 0.025% <= C < 5.% / Eye Irrit. 2; H319: 0.025% <= C < 3.% / Skin Sens. 1A; H317: C >= 0.0015% / ATE (oral):567.0 mg/kg bw / ATE (inhalation, dust/mist):0.16 mg/L / M (acute) =100 / M (chronic) =100
reaction mass of 5-chloro-2- methyl-2H-isothiazol-3-one and 2 methyl-2H-isothiazol-3-one (3:1)	CAS No.: 55965-84-9 - Index No.: 613-167-00-5	0.00015% <= C < 0.0015%	Tox. 2, H310 / inhalation Acute Tox. 2, H330 / Skin Corr. 1C, H314 / Eye Dam. 1, H318 / Skin Sens. 1, H317 / Aquatic Acute 1, H400 / Aquatic Chronic 1, H410 / EUH071,/	$ \begin{array}{l} Skin Corr. 1C; H314: C >= 0.6\% / Skin Irrit. \\ 2; H315: 0.06\% <= C < 0.6\% / Eye Dam. 1; \\ H318: C >= 0.6\% / Eye Irrit. 2; H319: 0.06\% <= C < 0.6\% / Skin Sens. 1A; H317: C >= \\ 0.0015\% / ATE (oral): 66.0 mg/kg bw / ATE (dermal): 141.0 mg/kg bw / ATE (inhalation, dust/mist): 0.17 mg/L / M (acute) = 100 / M (chronic) = 100 . \end{array} $
2-octyl-2H-isothiazol-3-one	CAS No. : 26530-20-1 EC No.: 247-761-7 Index No.: 613-112-00-5	0.00015% <= C < 0.0015%	Tox. 3, H311 / inhalation Acute Tox. 2,	Skin Sens. 1A; H317: C >= 0.0015% / ATE (oral):125.0 mg/kg bw / ATE (dermal):311.0 mg/kg bw / ATE (inhalation, dust/mist):0.27 mg/L / M (acute) = 100 / M (chronic) = 100

Additional information

For full text of Hazard- and EU Hazard-statements: see SECTION 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

Following inhalation:

Remove casualty to fresh air and keep warm and at rest.

Following skin contact:

Wash immediately with:

Water and soap

After eve contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion:

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention.

4.2 Most important symptoms and effects, both acute and delayed

There are no specific information on symptoms and effects caused by the product. Delayed effects: based on the information currently available, there are no known cases of delayed effects following exposure to this product.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



WASSERLAC AL QUARZO ANTIALGA

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Water

Carbon dioxide (CO2)

Unsuitable extinguishing media

No special measures are necessary.

5.2 Special hazards arising from the substance or mixture

Do not inhale explosion and combustion gases.

Burning produces heavy smoke.

5.3 Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Move undamaged containers from immediate hazard area if it can be done safely.

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

6.1.1 For non-emergency personnel

Use personal protection equipment.

Remove persons to safety.

6.1.2 For emergency responders

Use personal protection equipment.

6.2 Environmental precautions

Do not allow to enter into soil/subsoil.

Do not allow to enter into surface water or drains.

 $Retain\ contaminated\ washing\ water\ and\ dispose\ it.$

In case of gas escape or of entry into waterways, soil or drains, inform the responsible authorities.

6.3 Methods and material for containment and cleaning up

6.3.1 For containment

Suitable material for taking up:

Absorbing material, organic

Sand

6.3.2 For cleaning up

Wash with plenty of water.

6.3.3 Other information

No data available

6.4 Reference to other sections

Disposal: see section 13

Personal protection equipment: see section 8

Safe handling: see section 7

SECTION 7: Handling and storage

7.1 Precautions for safe handling

7.1.1 Protective measures

Handle and open container with care.

7.1.2 Advices on general occupational hygiene

Remove contaminated, saturated clothing.



WASSERLAC AL QUARZO ANTIALGA

Avoid contact with skin, eyes and clothes.

Wash hands and face before breaks and after work and take a shower if necessary.

When using do not eat, drink, smoke, sniff.

7.1.3 Measures to prevent aerosol and dust generation

This information is not available.

7.1.4 Environmental precautions

No special measures are necessary.

7.1.5 Measures to prevent fire

No special fire protection measures are necessary.

7.2 Conditions for safe storage, including any incompatibilities

7.2.1 Technical measures and storage conditions

Keep in a cool, well-ventilated place.

7.2.2 Requirements for storage rooms and vessels

This information is not available.

7.2.3 Packaging materials:

This information is not available.

7.2.4 Storage class

This information is not available.

7.3 Specific end use(s)

7.3.1 Recommendation

Observe instructions for use.

$\underline{\textbf{7.3.2 Industrial sector specific solutions}}$

This information is not available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

This information is not available.

Monitoring and observation processes

This information is not available.

DNEL values

DNEL worker	Exposure route	Exposure time	Туре	Value	Remark
Workers	Inhalation	long-term	local	0.02 mg/m ³	
Consumers	Inhalation	long-term	local	0.02 mg/m ³	
Workers	Inhalation	short-term	acute	0.04 mg/m ³	
Consumers	Inhalation	short-term	acute	0.04 mg/m ³	
Consumers	oral	long-term	systemic	0.09 mg/kg bw/day	
Consumers	oral	short-term	acute	0.11 mg/kg bw/day	

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

DNEL worker	Exposure route	Exposure time	Туре	Value	Remark
Workers	Inhalation	long-term	systemic	6.81 mg/m ³	
Consumers	Inhalation	long-term	systemic	1.2 mg/m ³	
Workers	dermal	long-term	systemic	0.966 mg/kg bw/day	
Consumers	dermal	long-term	systemic	0.345 mg/kg bw/day	

PNEC

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

Type Value Remark



WASSERLAC AL QUARZO ANTIALGA

aquatic, freshwater	3.39 µg/L	
aquatic, marine water	3.39 µg/L	
sewage treatment plant	0.23 mg/L	
sediment, freshwater	0.027 mg/kg	
sediment, marine water	0.027 mg/kg	
soil	0.01 mg/kg	

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

Туре	Value	Remark
aquatic, freshwater	4.03 µg/L	
aquatic, marine water	0.403 μg/L	
sewage treatment plant	1.03 mg/L	
sediment, freshwater	0.499 mg/kg	
sediment, marine water	0.499 mg/kg	
soil	3.0 mg/kg	

Biological limit values

This information is not available.

8.2 Exposure controls

Appropriate engineering controls

See section 7 of the safety data sheet.

Personal protection equipment

Skin protection

Body protection:

Body protection: not required.

 $\underline{\mathsf{Hand}\,\mathsf{protection}}$

Hand protection is not required.

Eye/face protection

Eye protection: not required.

Respiratory protection

Usually no personal respirative protection necessary.

Thermal hazards

This information is not available.

Environmental exposure controls

This information is not available.

SECTION 9: Physical and chemical properties

Physical state liquid Colour various Odour characteristic Melting point Not applicable Freezing point < 0 °C Remark: waterfall Softening point Not applicable



WASSERLAC AL QUARZO ANTIALGA

Boiling point or initial boiling point and boiling range	>100 °C Remark: waterfall
flammability	Non-flammable.
Lower and upper explosion limit	Not applicable
Flash point	Not applicable
pH	8.5 < pH < 9.5
Auto-ignition temperature	Not applicable
Decomposition temperature	Not applicable
Viscosity	This information is not available. Remark: Tixotropic
Water solubility	emulsifiable
Fat solubility (Oil)	This information is not available.
Solubility (Ethanol)	This information is not available.
Davidian accepticione in coherent/suchan/la	
Partition coefficient n-octanol/water (log value)	Not applicable
Vapour pressure	Not applicable Not applicable
<u> </u>	
Vapour pressure	Not applicable
Vapour pressure Density	Not applicable 1,57 kg/L
Vapour pressure Density Relative vapour density	Not applicable 1,57 kg/L Not applicable
Vapour pressure Density Relative vapour density refraction index	Not applicable 1,57 kg/L Not applicable This information is not available.
Vapour pressure Density Relative vapour density refraction index Particle size	Not applicable 1,57 kg/L Not applicable This information is not available. Not applicable
Vapour pressure Density Relative vapour density refraction index Particle size Particle size distribution range	Not applicable 1,57 kg/L Not applicable This information is not available. Not applicable Not applicable

9.2 Other information

 $\underline{\textbf{9.2.1 Information with regard to physical hazard classes}}$

This information is not available.



WASSERLAC AL QUARZO ANTIALGA

9.2.2 Other safety characteristics

This information is not available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non-reactive under normal use conditions.

10.2 Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

Further risks: see subsection 2.3.

10.4 Conditions to avoid

Stable under recommended storage and handling conditions.

Further information on storage conditions: see subsection 7.2.

10.5 Incompatible materials

No further relevant information available.

10.6 Hazardous decomposition products

Decomposition products in case of fire: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

<u>Mixtures</u>

Acute toxicity

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Based on available data, the classification criteria are not met.

$\underline{\text{Respiratory or skin sensitisation}}$

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Substances

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9 Respiratory or skin sensitisation

Method	Species:	Exposure route	Exposure time	Value	Source	Notes	Considerations
	Guinea pig	dermal				OECD 406,	
						sensitising - S 17	1 (b)

1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5

Acute toxicity



WASSERLAC AL QUARZO ANTIALGA

Method	Species:	Exposure route	Exposure time	Value	Source	Notes	Considerations
LD50	Rat	oral		> 15000.0 mg/kg			
LD50	Rat	dermal		> 2000.0 mg/kg			

11.2 Information on other hazards

This product does not contain a substance that has endocrine disrupting properties with respect to humans as no components meets the criteria.

Other information

This information is not available.

SECTION 12: Ecological information

12.1 Toxicity

Do not allow uncontrolled discharge of product into the environment.

There are no data available on the mixture itself.

The ecotoxicological properties of this mixture are determined by the ecotoxicological properties of the single components (see section 3).

Mixtures

Harmful to aquatic life with long lasting effects.

Substances

EC50

Selenastrum

capricornutum

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

0.11 mg/L

Aquatic acute to	oxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50	Daphnia magna (Big water flea)	48h	0.1 mg/L	OECD 202			
EC50	Skeletonema costatum	48h	0.0052 mg/L	OECD 201			Rac Opinion
Acute (short-ter	m) toxicity to alga	e and cyanobacte	eria				
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50	Pseudokirchnerio subcapitata	ella 72h	0.048 mg/L	OECD 201			
Acute (short-ter	m) fish toxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
LC50	Onchorhyncus mykiss	96h	0.22 mg/L	Oecd 203			
Aquatic chronic	toxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Daphnia magna (Big water flea)	21d	0.004 mg/L	Oecd 211			
Chronic (long-te	erm) fish toxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Oncorhynchus mykiss (Rainbow trout)		0.098 mg/L	Oecd 215			
Chronic (long-te	erm) toxicity to alg	ae and cyanobact	eria				
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Pseudokirchnerio subcapitata	ella 72h	0.0012 mg/L	OECD 201			
Impact on sewa	ge treatment plan	ts					
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50		3h	7.92 mg/L	OECD 209			
EC20		3h	0.97 mg/L	OECD 209			
1,2-benzisothia	zol-3(2H)-one - CA	AS: 2634-33-5					
Acute (short-ter	m) toxicity to alga	e and cyanobacte	eria				
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50	Selenastrum capricornutum	72h	0.11 mg/L	OECD 201			

OECD 201



WASSERLAC AL QUARZO ANTIALGA

	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50	Daphnia magna (Big water flea)	48h	3.27 mg/L	OECD 202			
\cuto (chart-ta	rm) fish toxicity						
Effective dose		Test duration	Value	Notes	Method	Source	Considerations
LC50	•	96h	2.2 mg/L	Oecd 203	Method	Jource	Considerations
LCJU	mykiss (Rainbow trout)		Z.Z IIIg/ L	Oeta 203			
Aquatic chronic	toxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Daphnia magna (Big water flea)	21d	1.2 mg/L	Oecd 211			
Chronic (long-te	erm) fish toxicity						
Effective dose		Test duration	Value	Notes	Method	Source	Considerations
NOEC	Oncorhynchus mykiss (Rainbow trout)	28d	0.21 mg/L	Oecd 215			
Chronic (long-te	erm) toxicity to alg	ae and cyanoba	teria				
Effective dose		Test duration	Value	Notes	Method	Source	Considerations
NOEC	Selenastrum capricornutum	72h	0.04 mg/L	OECD 201			
mpact on sewa	ge treatment plant	:S					
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50		3h	13.0 mg/L	OECD 209			
EC20		3h	3.3 mg/L	OECD 209			
	octyl-2H-isothiazo		_	, . -			
	ge treatment plant						
Effective dose		Test duration	Value	Notes	Method	Source	Considerations
	-		96.0 %	Oecd 303			
			70.0 70	Occu ooo			
terbutryn - CAS	: 886-50-0		70.0 70	Occu 000			
•	: 886-50-0 rm) toxicity to alga	e and cyanobact		Occu 000			
Acute (short-te	rm) toxicity to alga	e and cyanobact		Notes	Method	Source	Considerations
Acute (short-te Effective dose	rm) toxicity to alga Species		teria		Method	Source	Considerations
Acute (short-terefective dose EC50	rm) toxicity to alga Species Desmodesmus subspicatus	Test duration	teria Value	Notes	Method	Source	Considerations
Acute (short-te Effective dose EC50 Aquatic acute to	rm) toxicity to alga Species Desmodesmus subspicatus oxicity	Test duration 72h	teria Value 0.0067 mg/L	Notes OECD 201			Considerations
Acute (short-tereffective dose EC50 Aquatic acute to Effective dose	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna	Test duration 72h Test duration	teria Value	Notes	Method Method	Source Source	
Acute (short-terest September 1988) Aquatic acute to September 1989 Agrantic acute to September 1989 EC50	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea)	Test duration 72h Test duration	value 0.0067 mg/L Value	Notes OECD 201 Notes			
Acute (short-terest September 1998) Aquatic acute to September 1998 EC50 Acute (short-terest September 1998)	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity	Test duration 72h Test duration 48h	Value 0.0067 mg/L Value 6.4 mg/L	Notes OECD 201 Notes OECD 202	Method	Source	Considerations
Acute (short-terested of the content	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout)	Test duration 72h Test duration 48h Test duration 96h	value 0.0067 mg/L Value	Notes OECD 201 Notes			
Acute (short-terestrive dose EC50 Aquatic acute to Effective dose EC50 Acute (short-terestrive dose EC50 Acute (short-terestrive dose EC50 Acute (short-terestrive dose EC50 Aquatic chronic	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout)	Test duration 72h Test duration 48h Test duration 96h	Value Value Value 6.4 mg/L Value	Notes OECD 201 Notes OECD 202 Notes	Method	Source	Considerations
Acute (short-terestrive dose EC50 Aquatic acute to Effective dose EC50 Acute (short-terestrive dose EC50 Acute (short-terestrive dose EC50 Acute (short-terestrive dose EC50 Aquatic chronic	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout)	Test duration 72h Test duration 48h Test duration 96h	Value Value Value 6.4 mg/L Value	Notes OECD 201 Notes OECD 202 Notes	Method	Source	Considerations
Acute (short-terested of the content	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout)	Test duration 72h Test duration 48h Test duration 96h Test duration	Value 0.0067 mg/L Value 6.4 mg/L Value 1.9 mg/L	Notes OECD 201 Notes OECD 202 Notes Oecd 203	Method Method	Source	Considerations Considerations
Acute (short-terested of the content	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout) toxicity Species Daphnia magna	Test duration 72h Test duration 48h Test duration 96h Test duration	Value 6.4 mg/L Value 1.9 mg/L	Notes OECD 201 Notes OECD 202 Notes Oecd 203	Method Method	Source	Considerations Considerations
Acute (short-terestrive dose EC50 Aquatic acute to Effective dose EC50 Acute (short-terestrive dose EC50 Acute (short-terestrive dose EC50 Aquatic chronic Effective dose NOEC	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout) toxicity Species Daphnia magna (Big water flea)	Test duration 72h Test duration 48h Test duration 96h Test duration	Value 6.4 mg/L Value 1.9 mg/L	Notes OECD 201 Notes OECD 202 Notes Oecd 203	Method Method	Source	Considerations Considerations
Acute (short-terested to be seen to be seed	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout) toxicity Species Daphnia magna (Big water flea) etm) fish toxicity	Test duration 72h Test duration 48h Test duration 96h Test duration 21d	Value 0.0067 mg/L Value 6.4 mg/L Value 1.9 mg/L Value 0.05 mg/L	Notes OECD 201 Notes OECD 202 Notes Oecd 203 Notes Oecd 211	Method Method	Source Source	Considerations Considerations Considerations
Acute (short-terestee Section 1) Aquatic acute to 1) Aquatic acute to 2) Acute (short-terestee Section 2) Acute (short-terestee Section 3) Aquatic chronic Seffective dose NOEC Chronic (long-to 1) NOEC	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout) toxicity Species Daphnia magna (Big water flea) etm) fish toxicity Species Daphnia magna (Big water flea) erm) fish toxicity Species Pimephales promelas (fathead	Test duration 72h Test duration 48h Test duration 96h Test duration 21d Test duration 28d	Value 0.05 mg/L Value 0.05 mg/L Value 0.05 mg/L	Notes OECD 201 Notes OECD 202 Notes Oecd 203 Notes Oecd 211	Method Method	Source Source	Considerations Considerations Considerations
Effective dose EC50 Aquatic acute to Effective dose EC50 Acute (short-tel Effective dose LC50 Aquatic chronic Effective dose NOEC Chronic (long-to Effective dose NOEC	rm) toxicity to alga Species Desmodesmus subspicatus oxicity Species Daphnia magna (Big water flea) rm) fish toxicity Species Oncorhynchus mykiss (Rainbow trout) toxicity Species Daphnia magna (Big water flea) erm) fish toxicity Species Daphnia magna (Big water flea) erm) fish toxicity Species Pimephales promelas (fathead minnow)	Test duration 72h Test duration 48h Test duration 96h Test duration 21d Test duration 28d	Value 0.05 mg/L Value 0.05 mg/L Value 0.05 mg/L	Notes OECD 201 Notes OECD 202 Notes Oecd 203 Notes Oecd 211	Method Method	Source Source	Considerations Considerations Considerations



Revision date: 29-09-2025 Print date: 29-09-2025 Version: 11

WASSERLAC AL QUARZO ANTIALGA

Aquatic	acute	toxicity
---------	-------	----------

Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50	Daphnia magna (Big water flea)	48h	0.32 mg/L				
Acute (short-ter	m) toxicity to alga	e and cyanobact	eria				
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
EC50		72h	0.084 mg/L	algae			
Acute (short-ter	m) fish toxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
LC50	Oncorhynchus mykiss (Rainbow trout)		0.047 mg/L				
Chronic (long-te	erm) fish toxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Oncorhynchus mykiss (Rainbow trout)		0.022 mg/L				
Aquatic chronic	toxicity						
Effective dose	Species	Test duration	Value	Notes	Method	Source	Considerations
NOEC	Daphnia magna (Big water flea)		0.0016 mg/L				

12.2 Persistence and degradability

Mixtures

This information is not available.

Substances

 $reaction\ mass\ of\ 5-chloro-2-methyl-2H-isothiazol-3-one\ and\ 2-methyl-2H-isothiazol-3-one\ (3:1)-CAS:\ 55965-84-9$

Inoculum:	Assessment/classification	Test duration	parameter	Value	Method	Remark
Poorly biodegradable.						RAC opinion
1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5						
Inoculum:	Assessment/classification	Test duration	parameter	Value	Method	Remark
Poorly biodegradable.						RAC opinion
4,5-dichloro-2-octyl-2H-isothiazol-3-one - CAS: 64359-81-5						
Inoculum:	Assessment/classification	Test duration	parameter	Value	Method	Remark
not rapidly degradable						RAC opinion

12.3 Bioaccumulative potential

Mixtures

This information is not available.

Substances

reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) - CAS: 55965-84-9

Assessment/classification	Test type	Test duration	Species:	Value	Method	Remark
Does not accumulate in organisms.	Bioconcentration factor (BCF)			3.16		calculated
Does not accumulate in	Log KOW			<0.71 (n-	HPLC	
organisms.				octanol/water)		
1,2-benzisothiazol-3(2H)-one - CAS: 2634-33-5						
Assessment/classification	Test type	Test duration	Species:	Value	Method	Remark

Assessment/classification	Test type	Test duration	Species:	Value	Method	Remark
Does not accumulate in	Bioconcentration factor		Fish	6.95		Oecd 305
organisms.	(BCF)					
Does not accumulate in	Partition coefficient n-			0.7	HPLC	Oecd 117
organisms.	octanol/water (log value)					
4.5 dichlara 2 actul 2H is	4.5 dichloro 2 actual 2H isothiazal 2 ana CAS, 44250 04 5					

Assessment/classification	Test type	Test duration	Species:	Value	Method	Remark
Does not accumulate in organisms.	Log KOW			4,4 (n- octanol/water)		Oecd 107



WASSERLAC AL QUARZO ANTIALGA

Does not accumulate in	Bioconcentration factor		Fish	13	literature	
organisms.	(BCF)					
terbutryn - CAS: 886-50-	0					
Assessment/classificatio	n Test type	Test duration	Species:	Value	Method	Remark
Does not accumulate in organisms.	Bioconcentration factor (BCF)			103	Calculated Epiwin	
Does not accumulate in organisms.	Log KOW			3,19 (n- octanol/water)	HPLC	Oecd 117
2-octyl-2H-isothiazol-3-o	2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1					
Assessment/classificatio	n Test type	Test duration	Species:	Value	Method	Remark
Does not accumulate in	Partition coefficient n-			2,45		
organisms.	octanol/water (log value)				

12.4 Mobility in soil

Mixtures

This information is not available.

Substances

2-octyl-2H-isothiazol-3-one - CAS: 26530-20-1

Assessment/classification Test type	Test duration	parameter	Value	Method	Remark
Log Koc			2120		

12.5 Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.6 Endocrine disrupting properties

 $This \ product \ does \ not \ contain \ a \ substance \ that \ has \ endocrine \ disrupting \ properties \ with \ respect \ to \ non-target \ organisms \ as \ no \ components \ meets \ the \ criteria.$

12.7 Other adverse effects

This information is not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Waste codes/waste designations according to EWC/AVV

***NO English translation**

13.1.1 Disposal operations

Non-contaminated packages must be recycled or disposed of.

Dispose of waste according to applicable legislation.

13.1.2 Other disposal recommendations

Recycle according to official regulations.

SECTION 14: Transport information

14.1 UN number

All transport carriers No dangerous good in sense of these transport regulations.

14.2 UN proper shipping name

All transport carriers No dangerous good in sense of these transport regulations.

14.3 Transport hazard class(es)

All transport carriers No dangerous good in sense of these transport regulations.

14.4 Packing group



WASSERLAC AL QUARZO ANTIALGA

All transport carriers No dangerous good in sense of these transport regulations.

14.5 Environmental hazards

All transport carriers No dangerous good in sense of these transport regulations.

14.6 Special precautions for user

All transport carriers No dangerous good in sense of these transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

No transport as bulk according to IBC Code.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Regulation (EC) No 1907/2006 and subsequent amendments

Regulation (EC) No 1272/2008 (CLP) and subsequent amendments

Latest amendment

Commission delegated Regulation (EU) 2024/2865

Regulation (EU) No. 2020/878

Directive 2004/42/EC on the limitation of emissions of volatile organic compounds

Not relevant

Other regulations (EU)

This information is not available.

Regulation (EC) No. 1907/2006 (REACH), Annex XVII (restrictions)

Mixtures

Use restriction according to REACH annex XVII, no.: 3

Other relevant ingredients

Use restriction according to REACH annex XVII, no.: 75

 $reaction\,mass\,of\,5-chloro-2-methyl-2H-isothiazol-3-one\,and\,2-methyl-2H-isothiazol-3-one\,(3:1)\,(CAS:\,55965-84-9;\,INDEX:\,613-167-00-5)$

1,2-benzisothiazol-3(2H)-one (CAS: 2634-33-5; EINECS: 220-120-9; INDEX: 613-088-00-6)

2-octyl-2H-isothiazol-3-one (CAS: 26530-20-1; EINECS: 247-761-7; INDEX: 613-112-00-5)

Regulation (EC) No. 1005/2009 on substances that lead to the depletion of the ozone layer

not relevant

Regulation (EU) 2019/1148 (marketing and use of explosives precursors)

not relevant

<u>Directive 2012/18/EU on the control of major-accident hazards involving dangerous substances [Seveso-III-Directive]</u>

Hazard categories: This product is not classified according to Directive 2012/18/EU.

National regulations

This information is not available.

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes

This safety data sheet has been completely updated

Abbreviations and acronyms

ACGIH American Conference of Governmental Industrial Hygienists	Abbreviations and acronyms
ACCITY Afficial Conference of Governmental muuschari tygienists	ACGIH



WASSERLAC AL QUARZO ANTIALGA

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
AOX	Adsorbable Organic halogen compounds
ATE	Acute Toxicity Estimate
ATEmix	Acute Toxicity Estimate for Mixtures
BCF	Bioconcentration Factor
BLV	Biological Limit Value
BOD	Biochemical (Biological) Oxygen Demand
bw	body weight
CAS	Chemical Abstracts Service
СК	Peak concentration
CLP	Classification, Labelling and Packaging
CMR	Carcinogenic, Mutagenic, toxic for Reproduction
CO2	Carbon dioxide
COD	Chemical Oxygen Demand
COSHH	Control of Substances Hazardous to Health
CSA	Chemical Safety Assessment
CSR	Chemical Safety Report
DGR	Dangerous Goods Regulations (IATA)
DMEL	Derived Minimal Effect Level
DNEL	Derived No-Effect Level
DOC	Dissolved Organic Carbon
DU	Downstream User
EbC50	Effective Concentration 50 % reduction in biomass
EC	European Community
EC10	Effective Concentration 10%
EC50	Effective Concentration 50%
ECHA	European Chemicals Agency
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %
ELINCS	European Inventory of Existing Commercial Chemical Substances
EmS	emergency procedures
EN	European Standard
ErC10	Effective Concentration 10 % reduction in growth rate
ErC50	Effective Concentration 50 % reduction in growth rate
ES	Exposure Scenario
EU	European Union
EWC	European Waste Catalogue
GHS	Globally Harmonized System of Classification and Labelling of Chemicals
IATA	International Air Transport Association
IC50	Inhibition Concentration 50 %
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods
IMO	International Maritime Dangerous Goods International Maritime Organization
INCI	International mantime Organization International nomenclature of cosmetic ingredients
ISO	International nomenciature of cosmetic ingredients International Organization for Standardization
IUPAC	
	International Union of Pure and Applied Chemistry Partition coefficient n-octanol/water
KOC LC50	Lethal (fatal) Concentration 50%
LD50	Lethal (fatal) Dose 50%
	Lethal (fatal) Dose 50% Lowest Lethal (fatal) Dose
LDL0	Lethal Loading 50 %
LL50	
LOAEC	Lowest Observed Adverse Effect Concentration
LOAEL	Lowest Observed Adverse Effect Level
LOEC	Lowest Observable Effect Concentration
LOEL	Lowest Observable Effect Level
M-factor	Multiplication factor
NOAEC	no observed adverse effect concentration
20-00-2025	English Page 13 of 1



WASSERLAC AL QUARZO ANTIALGA

N. O
No Observed Adverse Effect Level
No Observed Effect Concentration
No Observed Effect Level
No Observed Effect Level
Organisation for Economic Cooperation and Development
Occupational exposure limit (EU)
persistent and bioaccumulative and toxic
Predicted Environmental Concentration
Permissible Exposure Limit
Predicted No Effect Concentration
Process Category
Registration, Evaluation and Authorization of Chemicals
Dangerous goods regulations for transport by rail
Specific concentration limit
Short-term Exposure Limit
Specific Target Organ Toxicity
sewage treatment plant
use category
substance of very high concern
Theoretical carbon dioxide amount
Threshold Limit Value
Eight-hour time-weighted average exposure limit value
United Nations
Volatile organic compounds

Key literature references and sources for data

Aquatic Chronic 3, H412

Regulation (EC) No. 1272/2008 on the classification, labelling, and packaging (Classification, Labelling and Packaging) of substances and mixtures.

Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/UE.

Guidance on the compilation of safety data sheets by ECHA

European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

International Maritime Dangerous Goods Code (IMDG)

IATA Dangerous Goods Regulations (IATA DGR)

The ED Lists (List I: Substances identified as endocrine disruptors at EU level, List II: Substances under evaluation for endocrine disruption under an EU legislation, List III: Substances considered, by the evaluating National Authority, to have endocrine disrupting properties)

List of relevant hazard statements and/or precautionary statements from sections 2 to 15

Classification according to Regulation (EC) No 1272/2008 [CLP]	List of relevant hazard statements and/or precautionary statements from sections 2
	to 15
Aquatic Chronic 3, H412	Harmful to aquatic life with long lasting effects.
oral Acute Tox. 3, H301	Toxic if swallowed.
dermal Acute Tox. 2, H310	Fatal in contact with skin.
inhalation Acute Tox. 2, H330	Fatal if inhaled.
Skin Corr. 1C, H314	Causes severe skin burns and eye damage.
Eye Dam. 1, H318	Causes serious eye damage.
Skin Sens. 1, H317	May cause an allergic skin reaction.
Aquatic Acute 1, H400	Very toxic to aquatic life.
Aquatic Chronic 1, H410	Very toxic to aquatic life with long lasting effects.
oral Acute Tox. 4, H302	Harmful if swallowed.
Skin Irrit. 2, H315	Causes skin irritation.
dermal Acute Tox. 3, H311	Toxic in contact with skin.
Classification for mixtures and used evaluation method according to regulation	on (EC) No 1272/2008 [CLP]
Classification according to Regulation (EC) No 1272/2008 [CLP]	Classification procedure

Disclaimer: The information in this safety data sheet (SDS) applies only to the specified product, unless otherwise specified, for the mixture of this product and other substances, etc. Circumstances do not apply. This SDS only provides information on product safety for those who have received proper professional training. Users of this SDS must make independent judgments on the applicability of this SDS under special conditions of use. In special occasions, the writer of this SDS will not be responsible for any damage caused by using this SDS.